



شركة عبد الرحمن وعبد الكريم العمراة للأدوات الصحية  
AL-OMRAN TRADING CO. FOR SANITARY WARE

# TOTO

Life Anew

GENERAL CATALOGUE

2026

# TOTO HISTORY



**1912**

Established ceramic sanitary ware laboratory and began manufacturing sanitary ware.



**1917**

TOYO TOKI CO. LTD. was established by Kazuchika Okura, which is later renamed TOTO.



**1923**

The Great Kanto Earthquakes strikes devastating Tokyo. A sewage system is built during the reconstruction, leading to a rapid growth in demand for sanitary wares.



**1946**

After World War II, TOTO begins producing metal fittings and faucets in addition to ceramic.



**2008**

TOTO Asia Oceania Pte Ltd. is established as the regional headquarters of the Middle East, South Asia, South East Asia and Oceania.



**1993**

NEOREST toilet is launched incorporating WASHLET with a broad range of TOTO's innovation. It brings with it fullest realization yet of the principle of Clean Technology.



**1980**

TOTO launches WASHLET providing consumers with a whole new level of cleanliness and comfort.



**2017**

TOTO exhibited at the ISH2017 - the world's largest international trade fair in Frankfurt, Germany for sanitary wares, and renewable energy.



**2015**

On the 100th anniversary, TOTO Museum in Kitakyushu was opened. Showcases the evolution of business and its products. The museum features a historical landmarks that changed Japanese bathroom culture from rural to urban. TOTO aims to promote this complex as a connection for customers and clients.



**2013**

TOTO Asia Oceania launches its first Technical Center in Singapore. It serves to introduce TOTO's latest product and technologies to customers.



**2019**

Ever since the launched from 1980s, WASHLET design and features keeps improving from customers and clients experiences. By 2019 over **50 millions** units had been sold.



**2021**

"The Security of Touchless" concept is launched



**2022**

Ever since the launched from 1980s, WASHLET design and features keeps improving from customers and clients experiences. By 2022, over **60 millions** units had been sold.

**" INNOVATIVE "**  
throughout the Next Century

## المقدمة :

تعتبر شركة العمران للأدوات الصحية واحدة من أكبر الشركات ليست على مستوى المملكة فحسب بل وعلى مستوى الشرق الأوسط ، وهي أحدي شركات مجموعة عبدالرحمن وعبد الكريم صالح العمران للتجارة والصناعة وهي شركة رائدة في مجال الأدوات الصحية والسباكة، ومنذ أن تأسست الشركة قرابة الخمسين عاماً أخذت على عاتقها مبدأ الحرص على تقديم كل ما هو جديد في مجال التقنيات الحديثة الخاصة بالأدوات الصحية.

ومنذ تأسيس الشركة حافظت على إستقلاليتها كشركة سعودية 100% بكامل حصصها وقد حققت إنجازات كبيرة وعظيمة أكسبتها ثقة العملاء فاشتهرت بخدماتها لكل الشرائح وطبقات المجتمع، كما أن رؤية المجموعه هي توفير جميع منتجات الأدوات الصحية والسباكة ذات الجودة العالية بما يواكب التطورات العصرية من مختلف العلامات التجارية من عدة دول رائدة في نفس المجال مثل ايطاليا، المانيا، الصين، بريطانيا، امريكا واليابان .. وغيرهم من الدول والتي تكون مكتملة لما تقوم به المجموعة في مجال التصنيع حيث أنها تمتلك واحدة من أكبر المجمعات الصناعية الموجودة داخل المملكة والشرق الأوسط، فهي رائدة في إنتاج بلاط السيراميك والبورسلان بمختلف المقاسات من جدران وأرضيات وأحزمة الديكور والتي تناسب كافة الأذواق ، وايضاً تقوم بصناعة السخانات بسعات لترية مختلفة وايضاً تنتج أنواع مختلفة من المواسير والفتنق البلاستيك PVC, CPVC, PPR .. وتكتمل لكل هذا تم حصول المجموعة على وكالة شركة «TOTO» اليابانية وهذا يعبر عن التزام المجموعه أمام عملائها لتوفير أفضل التقنيات والابتكارات العالمية داخل المملكة بمفهوم جديد لترشيد والحفاظ على الطاقة وموارد البيئة في آن واحد .

شركة «TOTO» دائماً في تحسين نوعيه الحياة للجميع وغنية بالابتكارات والابداعات وهذا ما تبحت عنه على مر قرن من الزمن تقريباً كما أنها غيرت تصور شكل الحمام وكيفية استخدامه.

شركة «TOTO» تضع الابتكار في أولوياتها مما يساعد في توفير حلول تتميز بأنها اقتصادية من حيث القيمة والجودة بالإضافة إلى أنها صديقة للبيئة، وهذه التقنيات ظهرت في جميع منتجاتها لتساعد على توفير الطاقة والماء، كما تم تزويد منتجات شركة «TOTO» ببعض المواصفات التكنولوجية المتطورة وهو ما يتوافق بشكل تام مع قيم شركة العمران بتعزيز الاستدامة وتفعيل المسؤولية البيئية في جميع الأسواق التي تعمل بها.

التطور المستمر لشركة «TOTO» جعلتها في الصدارة عالمياً من حيث عدد مستخدمي منتجاتها، حيث أن تم تركيب منتجاتها في أكثر من ثمانين مطارا عالمياً والتي تعد أكثر المطارات ازدحاما على مستوى العالم مثل (مطار هونج كونج، مطار دبي، مطار طوكيو، مطار جون كندی وأغلب مطارات أميركا ، كندا، الصين ومعظم دول شرق اسيا .. وغيرها من الدول في معظم أنحاء العالم، كما أن منتجاتها دخلت أيضاً في الفنادق العالمية مثل (الفور سيزون، شيراتون، هيلتون، حياة ريجنسي، انتركونتننتال، جميرا، الريتز كارتون والماريوت.. وغيرها ، وايضاً تم تركيب هذه المنتجات في الأسواق والمجمعات التجارية والمولات المزدهمة بزوارها وكذلك في كثير من الاماكن العامة حول العالم لقوة تحملها وجمال موديلاتها، كما أن أهتمت بإنتاج الإكسسوارات الخاصة لذوي الاحتياجات الخاصة من الأطفال لكبار السن والتي تتناسب مع متطلبات المستشفيات والمنتجعات الصحية والأماكن العامة.

## Introduction :

Al-Omran Sanitary Ware Company is one of the largest sanitary ware companies not only in the Kingdom, but also in the Middle East. It is one of the companies of Abdul Rahman and Abdul Karim Saleh Al-Omran Group for Trade and Industry. It is a leading company in the field of sanitary ware and plumbing, Since the company was founded for more than fifty years, it has taken upon itself the principle of keenness to provide everything new in the field of technologies for sanitary ware.

Since the establishment of the company, it has maintained its independence as a 100% Saudi company with all its shares, and it has made great achievements that have earned it the confidence of customers, so it is famous for its services to all segments and classes of society .The vision of the group is to provide all high-quality sanitary ware and plumbing products in line with modern developments from various brands from several leading countries in the same field such as Italy, Germany, China, Britain, America, Japan ... and other countries that are complementary what the group does in the field of manufacturing,As it owns one of the largest industrial complexes located inside the Kingdom and in the Middle East, as it produces ceramic and porcelain tiles in various sizes, including walls, floors and decorative belts that suit all tastes, and also manufactures heaters with different liter capacities and also produces different types of pipes and plastic fitting ( PPR - PVC - CPVC) ,complementing all this, the group obtained the agency of the Japanese company "TOTO", and this reflects the group's commitment to its customers to provide the best technology and global innovations within the Kingdom with a new concept to rationalize and conserve energy and water at the same time.

TOTO has always wanted to improve the quality of life for all, rich in innovations and it has been looking for almost a century. TOTO has changed the perception of what a bathroom can look like and how to use it

TOTO puts innovation at the forefront of its priorities, helping to provide solutions that are economical in terms of value, quality which's environmentally friendly. This technology is shown in all its products to help save energy and water in its facilities to provide safe and healthy toilets. TOTO products are equipped with some advanced technological specifications are fully compatible with Omran's values to enhance sustainability and activate environmental responsibility in all the markets in which we operate.

This development has made TOTO the world leader in terms of the number of users of its products as its products have been installed in more than 80 international airports, which are among the most crowded airports in the world such as (Hong Kong Airport / Dubai Airport / Tokyo Airport / Most of the airports of America / Canada / China and most of the East Asian countries) and other countries in most parts of the world , Its products have also entered the international hotel chain (Four Seasons, Sheraton, Hilton, Hyatt Regency, InterContinental, Jumeirah, Ritz Carton, Marriott and others). These products have also been installed in markets, shopping malls and busy malls, as well as in many public places around the world. The company TOTO is interested in producing the special tools and accessories needed by children, people with special needs and the elderly, which are suitable for the requirements of hospitals, health resorts, therapeutic and public places.

TOTO  
WASHLET

60  
MILLION

UNITS SOLD  
WORLDWIDE



## Always Innovating to Spread a Culture of Everyday Comfort and Cleanliness.

Since its launch in the 1980s, WASHLET has continually evolved through the invention of countless innovative clean technologies. This is also our history of creating and spreading around the world a new culture of comfort and cleanliness. TOTO will continue pursuing technological innovation and design development to make the lives of people every where fresher and richer.

## نسعى دائماً إلى الابتكار لنشر ثقافة الراحة والنظافة اليومية.

منذ إطلاقها في الثمانينيات، تطورت منظومة أغشية WASHLET باستمرار من خلال اختراع عدد لا يحصى من التقنيات النظيفة المبتكرة. وهذا أيضاً هو تاريخنا في إنشاء ونشر ثقافة جديدة من الراحة والنظافة حول العالم. وستواصل TOTO متابعة الابتكار التكنولوجي وتطوير التصميم لتحقيق وجعل حياة الناس في كل مكان أكثر نظارة وثراء.

### The Birth of a Revolutionary Product



1980



Exceeds 20 million units

2005




Exceeds 10 million units

1998



Exceeds 40 million units

2015



Exceeds 30 million units

2011



Exceeds 50 million units

2019

2022



Exceeds 60 million units



NEOREST®RS



NEOREST®AS



NEOREST®LS



NEOREST®NX



NEOREST®WX

# COMFORT TECHNOLOGY



## TORNADO FLUSH

Powerfully ejects a stream of water from a spout near the rear of the toilet bowl, which is where waste accumulate most easily, thoroughly cleansing this area and then washing the entire bowl.



## تصريف كالأعصار

هو عبارة عن فتحتين في الجزء العلوي الداخلي من المراحيض تولد قوة دفع قوية تؤدي الي تنظيف بقوة دفع عاليه تغطي كافة اجزاء المراحيض بأقل كمية من الماء ويعمل تلقائياً بعد كل استخدام وكذلك يعمل يدوياً في حالة انقطاع التيار الكهربائي عن طريق ضغطه داخلية.



## CEFIONTECT

Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material. Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic. Water spreads easily over the toilet bowl, so waste particles easily wash away.



## سطح ناعم

طبقة صقل خاصة تطبق قبل عملية حرق السيراميك وتعالج كلياً مع السيراميك في عملية الحرق وينتج عنه سطح فائق النعومة ويمنع تراكم الأوساخ . مما يجعل السيراميك يحافظ على لمعانه لفترات زمنية طويلة . و يساعد على سهولة التنظيف واستهلاك أقل من مواد التنظيف





## PREMIST

It is an automatically system to spray water on the toilet bowl before and after use, making it difficult for dirt to stick.



## رش ذاتي

هو نظام رش رذاذ الماء أوتوماتيكياً على جسم الكرسي من الداخل قبل وبعد الاستخدام مما يجعل من الصعب التصاق الأوساخ على جسم الكرسي



## RIM LESS

The unique RIMLESS design not only leaves no place for waste and germs to hide. It also makes for a much easier to clean toilet.




## تصميم بلا حواف

تم تصميم الجزء الداخلي بلا حواف مما يجعل امكانية الوصول لكافة الأجزاء الداخلية للكرسي اسهل مما يسهل عملية التنظيف ويمنع تراكم البكتريا والأوساخ .

## EWATER+ BOWL & WAND & UNDER SEAT

It is a system for cleaning the Wand and Bowl and Under seat the using EWATER+ technology, which is electrically treated water that produces vibrations that eliminate bacteria before and after each use, or every 8 hours when not in use.



## ماء معالج كهربائياً للحوض والعصا وتحت المقعد

هو نظام لتنظيف عصاء التنظيف وحوض الكرسي وتحت المقعد بتقنية EWATER+ وهي ماء معالج كهربائياً ينتج عنه ذبذبات تقضي على البكتريا قبل وبعد كل استخدام أو كل 8 ساعات في حالة عدم الاستخدام.



## TECHNOLOGIES

## التقنيات

### AIR-IN WONDER WAVE

AIR-IN WONDERWAVE technology enriches water with air to create larger and softer water droplets, providing a comfortable and effective cleansing experience while reducing water consumption.



### وحدة التشطيف

تقنية مزج الماء بالهواء : تخرج الماء بالهواء لتوفير قطرات ماء أكبر وأكثر نعومة تمنح تجربة تنظيف مريحة وفعالة مع تقليل استهلاك المياه.

### DEODORIZER

Highly- effective deodorizing automatically takes place inside the toilet bowl both during and immediately after use, eliminating unwanted odors.



### مزيل الروائح الكريهة

تتم عملية إزالة الروائح الكريهة عالية الفعالية تلقائياً داخل حوض المراض أثناء الاستخدام وبعده مباشرة. مما يساهم في التخلص من الروائح غير المرغوب فيها.

### HEATED SEAT

The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.



### تدفئة سطح المقعد

بمجرد أن تقترب من المراض يبدأ المقعد بالتسخين للوصول إلى درجة حرارة مناسبة.

### WARM AIR DRYING

The individually adjustable dryer follows the warm water spray to ensure a dry, clean overall feeling.



### جفيف بالهواء الدافئ

يعمل المجفف القابل للتعديل بعد رذاذ الماء الدافئ ليضمن نظافة كاملة وشعوراً مريحاً بالجفاف.

### AUTO OPEN / CLOSE & FLUSH

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet approached and departed, and Auto Flush when you move away from the toilet



### فتح / غلق - تصريف اتوماتيكي

عندما تقترب من الكرسي يفتح بشكل تلقائي وسلس وعند الانتهاء يتم غلقه بشكل هادئ وبدون إزعاج وبدون لمس مما يجعله صحي أكثر. كما أنه يتم التصريف تلقائياً عند الابتعاد عن المراض

### SOFT LIGHT

Subdued lighting switches on when the toilet is approached, so users do not have to disturb themselves at night with a bright bathroom light.



### إضاءة خافتة

تضيء الإضاءة الخافتة عند الاقتراب من المراض حتى لا يضطر المستخدمون إلى إزعاج أنفسهم في الليل بإضاءة الحمام الساطعة.

### WATER SAVING

TOTO conserves water through efficient flushing technology, dirt-resistant coating, smart faucets, and water-saving toilets.



### توفير استهلاك الماء

تعمل TOTO على الحفاظ على المياه من خلال تقنيات التدفق الفعال و الطلاء المقاوم للأوساخ والحنفيات الذكية، والمراحيض الموفرة للمياه

## OVERVIEW OF NEOREST FUNCTIONS

PRODUCT MODEL	الموديل	NEOREST - WX	NEOREST - LE I	NEOREST - NX II	NEOREST - AH	
PRODUCT CODE	الكود	CWT927PZT TCF95380GAA	CWT994P TCF994WA	CS902VL	CS989VL TCF9788WZ	
PRODUCT IMAGE	صورة المنتج					
REMOTE CONTROL	لوحة التحكم					
REMOTE CONTROL COLOUR	لون وحدة التحكم	SILVER	SILVER	SILVER	SILVER	
التطهير	 AIR-IN WONDERWAVE	مزج الهواء بالماء	•	•	•	•
	REAR CLEANSING	تنظيف خلفي	•	•	•	•
	SOFT REAR CLEANSING	تنظيف خلفي ناعم	•	•	•	•
	FRONT CLEANSING	تنظيف أمامي	•	•	•	•
	WIDE FRONT CLEANSING	تنظيف أمامي واسع	•	•	•	•
	OSCILLATING CLEANSING	التنظيف المتذبذب	•	•	•	•
	PULSATING CLEANSING	تنظيف بالنبض	•	•	•	•
	INSTANTANEOUS WATER HEATING	تسخين المياه الفوري	•	•	•	•
	WATER PRESSURE CONTROL	التحكم بضغط الماء	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	التحكم بدرجة حرارة الماء	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	ضبط موضع العصا	•	•	•	•
	الهواء	 AIR PURIFIER (DEODORIZER)	امتصاص الروائح الكريهة	•	•	•
 WARM AIR DRYING		مجفف	•	•	•	•
AIR TEMPERATURE CONTROL		التحكم بدرجة حرارة الهواء	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
المقعد	 HEATED SEAT	مقعد دافئ	•	•	•	•
	HEATED SEAT - TEMPERATURE CONTROL	التحكم بدرجة حرارة المقعد	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
SEAT	 INSTANT HEATED SEAT	مقعد دافئ فوري	•	•	•	•
	SoftClose® SEAT AND LID	غلق ناعم للغطاء	•	•	•	•
الحساس	SEAT SENSOR	مستشعر المقعد	•	•	•	•
	 AUTOMATIC LID OPEN & CLOSE	فتح / غلق اتوماتيكي	•	•	•	•
	 AUTOMATIC FLUSH	تصريف تلقائي	•	•	•	•
	SOFT LIGHT	ضوء خافت	•	•	•	•
REMOTE CONTROL	REMOTE CONTROLLED SEAT	وحدة تحكم المقعد	•	•	•	•
التعقيم	 CEFIONECT®	سطح مصقول	•	•	•	•
	 EWATER+® For Bowl	تنظيف وعاء الكرسي	•	•	•	•
	 EWATER+® For Wand	تنظيف العصا	•	•	•	•
	 EWATER+® Under Seat	تنظيف لغطاء الكرسي	—	—	•	—
	 PREMIST®	رش ذاتي	•	•	•	•
	 RIMLESS	تصميم بلا حواف	•	•	•	•
	BOWL CLEANING MODE	وضع تنظيف الوعاء	•	•	•	•
	WAND CLEANING MODE	وضع تنظيف العصا	•	•	•	•
HYGIENE	SELF-CLEANING WAND	عصا التنظيف الذاتي	•	•	•	•
	ANTIBACTERIAL SURFACE	سطح مضاد للبكتريا	•	•	•	•
	FLUSHING TYPE	نوع التصريف	 TORNADO FLUSH	 TORNADO FLUSH	 TORNADO FLUSH	 TORNADO FLUSH
	WATER USE	مقدار ماء التصريف	4.5L/3.0L	4.5L/3.0L	3.8L/3.0L	3.8L/3.0L
ENERGY SAVING	ENERGY- SAVING TIMER	استهلاك الطاقة	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS
	AUTO ENERGY SAVER	توفير الطاقة	•	•	•	•
	ON/OFF BUTTON	قفل / فتح	•	•	•	•



# EWATER+

يمنع تراكم الفضلات على وعاء المراض، تعمل المياه المحللة كهربائياً على تقليل الفضلات والأوساخ التي لا يمكنك رؤيتها.

## EWATER+ للوعاء



**يفسّل حوض المراض، حيث تتراكم الفضلات وتتنج بقعاً يمكن أن تصبح دائمة.**

باستخدام أي مواد كيميائية أو عوامل تنظيف لا يترك EWATER+ للفضلات المجهرية مكاناً للاختباء ويوفر راحة البال اليومية.

### كيف يقوم EWATER+ بالتنظيف

يتم رش EWATER+ تلقائياً كل 8 ساعات من الاستخدام الأخير

يتم استخدام EWATER+ لغسل العوا ووعاء المراض وإزالة النفايات

نظراً لأن النفايات أقل قدرة على الالتصاق بالسطح المبلل فمن السهل غسلها

يتم رش PREMIST ناعم من الماء العادي داخل المراض



يعدّ الصنوبر تولد من ماء

لا يستخدم أي منظفات او مواد كيميائية

يعود إلى الماء الطبيعي مع مرور الوقت



يمنع تراكم الفضلات على العوا وتغسل العوا نفسها من الداخل والخارج باستخدام تقنية EWATER+ للحفاظ على الظروف الصحية

## EWATER+

## عوا التشطيف




**بعد كل استخدام يتم غسل العوا تلقائياً باستخدام EWATER+**

يتم إجراء هذا التشطيف داخل العوا وكذلك حول الجزء الخارجي بالكامل حتى عندما لا يتم استخدام المراض، تقوم العوا بغسل نفسها بشكل دوري لضمان النظافة المستمرة وعدم تراكم البكتيريا.



### آلية التنظيف الذاتي



### الحفاظ دائماً على النظافة

العوا مصنوعة من مواد عالية الجودة ومقاومة للنفايات كما أن يتم رشها تلقائياً بـ EWATER+ بعد كل استخدام، العوا مقاومة للغاية للنفايات والبقع، علوة على ذلك تلتصق العوا بفضاء الكرسي وليس بالوعاء لذا فإن احتمالية وصول النفايات إليها أقل، على الرغم من أن العوا ذاتية التنظيف فسوف تقدر مدى سهولة الوصول إليها ومسحها حتى تصبح نظيفة.



تعمل تقنية EWATER+ على منع تراكم الفضلات التي يصعب رؤيتها أسفل مقعد المراض.


## EWATER+

## اسفل المقعد



**يتم رش مياه EWATER+ على الجزء الأمامي من الجزء الخلفي لمقعد المراض والذي يتسخ بسهولة**

يساعد ذلك على منع البول والنفايات الأخرى من التحول إلى بقع صفراء للحصول على نظافة تدوم طويلاً، يسمح لك الرش اليدوي السريع قبل التنظيف بإزالة النفايات بمسحة خفيفة.



### كيف يقوم EWATER+ بالتنظيف

يتم رش EWATER+ تلقائياً كل 8 ساعات من الاستخدام الأخير

يتم تطبيق EWATER+ لغسل العوا ووعاء المراض وإزالة النفايات


نظراً لأن النفايات أقل قدرة على الالتصاق بالسطح المبلل فمن السهل غسلها

يتم رش PREMIST ناعم من الماء العادي داخل المراض



### يصل EWATER+ إلى أسفل مقعد المراض

يتم رش EWATER+ في جميع أنحاء وعاء المراض، مع قطرات كبيرة تغطي سطح الوعاء وقطرات صغيرة تحملها تيارات الهواء وتصل إلى القسم الأمامي من الجزء الخلفي من مقعد المراض



# EWATER+



## EWATER+ for BOWL

Suppresses the accumulation of waste on the toilet bowl. Electrolyzed water reduces waste and dirt you can't see.



### EWATER+

WASHES THE TOILET BOWL, WHERE WASTE TENDS TO ACCUMULATE AND PRODUCE STAINS THAT CAN BECOME PERMANENT.

Using no chemicals or cleaning agents, EWATER+ leaves microscopic waste no place to hide and provides everyday peace of mind.

### How EWATER+ Cleans



PREMIST, a fine mist of water is sprayed inside the toilet

Since waste is less able to adhere to a wet surface, it is more easily washed away

EWATER+ is applied to wash the wand and toilet bowl and remove waste

EWATER+ automatically sprayed 8 hours after the last use



Before use



During use



After use



During standby

Generated from tap water



Uses no detergents or chemicals



Reverts to normal water with time



## EWATER+ for WAND

Suppresses the accumulation of waste on the wand. The wand washes itself inside and out with EWATER+ to maintain hygienic conditions.

### EWATER+

AFTER EACH USE, THE WAND AUTOMATICALLY WASHES ITSELF WITH EWATER+.

This thorough cleaning occurs inside the wand as well as all around the exterior.

Even when the toilet is not being used, the wand periodically washes itself to ensure constant clean conditions.



### Always Keeping Conditions Clean

Made of high-quality, waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you will appreciate how easily you can reach it and wipe it spotless



### Self-Cleaning Mechanism

During standby Before use During use After use



## EWATER+ for UNDER SEAT

EWATER+ suppresses hard-to-see waste underneath the toilet seat.

### EWATER+

EWATER+ IS SPRAYED ON THE EASILY FOULED FRONT SECTION OF THE BACKSIDE OF THE TOILET SEAT.

This helps suppress urine and other waste from becoming yellow stains, for long-lasting cleanliness. A quick manual spray before cleaning allows you to remove waste with a light wipe.



+ Survey : Evaluation of waste on the front section of the backside of the toilet seat with and without use of EWATER+  
+ Usage conditions: A number of uses equivalent to usage for two weeks by a family of four (without cleaning)  
+ Results vary according to usage and environmental conditions. All data collected by TOTO. The dotted lines in the figure show the area over which EWATER+ is sprayed.

### How EWATER+ Cleans

PREMIST, a fine mist of water is sprayed inside the toilet

Since waste is less able to adhere to a wet surface, it is more easily washed away

EWATER+ is applied to wash the wand and toilet bowl and remove waste

EWATER+ automatically sprayed 8 hours after the last use



Before use



During use



After use



During standby

### EWATER+ reaches underneath the toilet seat.

EWATER+ is sprayed throughout the toilet bowl, with large droplets covering the bowl surface and small droplets carried by air currents reaching the front section of the backside of the toilet seat

# NEOREST WX



YH63SD  
Free Standing Double Toilet Roll Holder



# NEOREST® WX

## Wall Hung Smart Toilet

Bowl	CW927PZT
Seat Cover	TCF95380GAA
Flush System	Tornado Flush
Water Use	4.5L / 3.0L
Rough-in	180mm ( P-TRAP )
Bowl Shape	Elongated
Size	449W X 675D X 447H mm
Power Rating	220~240V, 50/60Hz, 834~845W
Body Colour	White
Remote Colour	Silver



Silver



reddot winner 2023

### Required Items



WH175AEAT



MB177M



TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT	ماء معالج كهربائياً للوعاء و عصا التشطيف و أسفل المقعد
AIR-IN-WONDER WAVE	مزج الهواء بالماء
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء

# NEOREST® LE I

Wall Hung Smart Toilet

Bowl	CW994P
Seat Cover	TCF994WA
Flush System	Tornado Flush
Water Use	4.5L / 3.0L
Rough-in	180mm ( P-TRAP )
Bowl Shape	Elongated
Size	423W X 675D X 460H mm
Power Rating	220~240V, 50/60Hz, 839~849W
Body Colour	White
Remote Colour	Silver



Silver



## Required Items



WH036D



MB005DGN



TECHNOLOGIES		التقنيات
TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND		ماء معالج كهربائياً للوعاء و عصا التشطيف
AIR-IN-WONDER WAVE		مزج الهواء بالماء
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقعد
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء

# NEOREST® NX II

Smart Toilet  
Hybrid Ecology System

Bowl	CS902VL
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm ( S-TRAP )
Bowl Shape	Elongated
Size	468W X 800D X 565H mm
Power Rating	220~240V, 50/60Hz, 835~845W
Body Colour	White
Remote Colour	Silver



Silver



reddot award 2018  
winner



TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT	ماء معالج كهربائياً للوعاء و عصا التشطيف و أسفل المقعد
AIR-IN-WONDER WAVE	مزج الهواء بالماء
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء



CS911VL / TCF87320GAA - **NIKEL**



CS911VL / TCF87220GAA - **BLACK**



CS911VL / TCF87120GAA - **SILVER**

# NEOREST® LS

CS911VL / TCF87320GAA - NIKEL



CS911VL / TCF87220GAA -BLACK



CS911VL / TCF87120GAA-SILVER



Smart Toilet  
Hybrid Ecology System

Flush System : Tornado Flush  
Bowl Shape : D-Shape  
Size : 411W X 725D X 497H mm  
Rough-in : H=305mm - ( S-TRAP )  
Water Use : 3.8L / 3.0L  
Power Rating : 220~240V, 50/60Hz, 835~863W

**NOTE :**

S-TRAP BOWL No : CS911VL  
P-TRAP BOWL No : CS911PVL



DESIGN  
AWARD  
2022

reddot winner 2022



TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT	ماء معالج كهربائياً للوعاء و عصا التشطيف و أسفل المقعد
AIR-IN-WONDER WAVE	مزج الهواء بالماء
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء

# NEOREST® AS

Smart Toilet  
Hybrid Ecology System

Bowl	CS921VT
Seat Cover	TCF85510GAA
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm ( S-TRAP )
Bowl Shape	Elongated
Size	386W X 691D X 528H mm
Power Rating	220~240V, 50/60Hz, 843~852W
Body Colour	White
Remote Colour	Silver

**NOTE :**

S-TRAP BOWL No : CS921VT  
P-TRAP BOWL No : CS921PVT



Silver



TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT	ماء معالج كهربائياً للوعاء و عصا التشطيف و أسفل المقعد
AIR-IN-WONDER WAVE	مزج الهواء بالماء
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء

# NEOREST® XH I

Smart Toilet  
Hybrid Ecology System

Bowl	CW992VA
Seat Cover	TCF992WA
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm ( S-TRAP )
Bowl Shape	Elongated
Size	448W X 820D X 527H mm
Power Rating	220~240V , 50/60Hz , 841~851W
Body Colour	White
Remote Colour	Silver



Silver



TECHNOLOGIES		التقنيات
TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND		ماء معالج كهربائياً للوعاء و عصا التشطيف
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقعد
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء

# NEOREST® AH

Smart Toilet  
Hybrid Ecology System

Bowl	CS989VL
Seat Cover	TCF9788WZ
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm ( S-TRAP )
Bowl Shape	Elongated
Size	386W X 691D X 528H mm
Power Rating	220~240V , 50/60Hz , 820~839W
Body Colour	White
Remote Colour	Silver



Silver



TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND	ماء معالج كهربائياً للوعاء و عصا التشطيف
AIR-IN-WONDER WAVE	مزج الهواء بالماء
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء

# NEOREST® RS

Smart Toilet  
Hybrid Ecology System

Bowl	CS921VT
Seat Cover	TCF83410GAA
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm ( S-TRAP )
Bowl Shape	Elongated
Size	386W X 690D X 515H mm
Power Rating	220~240V, 50/60Hz, 843~852W
Body Colour	White
Remote Colour	White

**NOTE :**

S-TRAP BOWL No : CS921VT  
P-TRAP BOWL No : CS921PVT



White



reddot winner 2022



TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND	ماء معالج كهربائياً للوعاء و عصا التشطيف
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء


# طريقة استخدام وحدة التحكم عن بعد سهلة ومريحة للاستخدام

Easy and Convenient to Use.



reddot winner 2022

NEOREST. LS, WX and AS models



1	Full flush	تدفق كامل	1
2	Light flush	تدفق خفيف	2
3	Cleans the wand with "EWATER+"	تنظيف العصا بتقنية EWATER+	3
4	Personal setting lock	قفل الإعداد الشخصي	4
5	Opening and closing the toilet seat	فتح وإغلاق مقعد المراض	5
6	Opening and closing the toilet Lid	فتح وإغلاق غطاء المراض	6
7	Stops operation.	توقف العملية	7
8	Rear Cleansing	التطهير الخلفي	8
9	Soft rear cleansing	تنظيف خلفي ناعم	9
10	Front Cleansing	تنظيف أمامي	10
11	Wide Front Cleansing	تنظيف أمامي واسع	11
12	Water Pressure Adjustment from 5 different water pressure levels	تعديل ضغط الماء (خمس مستويات)	12
13	Wand position Adjustment from 5 different wand position levels	تعديل موضع العصا (خمس مستويات)	13
14	Warm air Drying	تجفيف بالهواء الدافئ	14
15	Oscillate Pulsate	تنظيف شامل بالنبضات مع تآرجع عصا التنظيف	15

## TOILET PAPER HOLDER (STAND TYPE)

### ستاند وحامل مناديل ولوحة التحكم

YH63SDT1

YH63SDV1BN

Size: 290W x 260D x 830H mm

Color: Brushed Nickel


Chrome



## طريقة استخدام وحدة التحكم عن بعد HOW THE REMOTE CONTROL WORKS

Easy and Convenient to Use.

سهولة ومريحة للاستخدام



1	Full flush	تدفق كامل	1
2	Light flush	تدفق خفيف	2
3	Cleans the wand with "EWATER+"	تنظيف العصا بتقنية EWATER+	3
4	Personal setting lock	قفل الإعداد الشخصي	4
5	Opening and closing the toilet seat	فتح وإغلاق مقعد المراض	5
6	Opening and closing the toilet Lid	فتح وإغلاق غطاء المراض	6
7	Stops operation.	توقف العملية	7
8	Rear Cleansing	التطهير الخلفي	8
9	Soft rear cleansing	تنظيف خلفي ناعم	9
10	Front Cleansing	تنظيف أمامي	10
11	Water Pressure Adjustment from 5 different water pressure levels	تعديل ضغط الماء (خمس مستويات)	11
12	Wand position Adjustment from 5 different wand position levels	تعديل موضع العصا (خمس مستويات)	12
13	Warm air Drying	تجفيف بالهواء الدافئ	13
14	Oscillate Pulsate	تنظيف شامل بالنبضات مع تأرجح عصا التنظيف	14

# NEOREST®

## NEOREST LS

### CS911VL / TCF87120GAA

Flush System : Tornado Flush  
 Water Use : 3.8L / 3L  
 Rough-in : 305 mm ( S- Trap )

Smart Toilet

Hybrid Ecology System

Bowl Shape : D-Shape  
 Power Rating : 220~240V, 50/60Hz ,835~863W  
 Size : 411W X 725D X 497H mm  
 Remote : Silver

### CS911PVL / TCF87120GAA

Flush System : Tornado Flush  
 Water Use : 4.5L / 3L  
 Rough-in : 120-130 mm ( P- Trap )



Chrome



## NEOREST LS

### CS911VL / TCF87220GAA

Flush System : Tornado Flush  
 Water Use : 3.8L / 3L  
 Rough-in : 305 mm ( S- Trap )

Smart Toilet

Hybrid Ecology System

Bowl Shape : D-Shape  
 Power Rating : 220~240V, 50/60Hz ,835~863W  
 Size : 411W X 725D X 497H mm  
 Remote : Black

### CS911PVL / TCF87220GAA

Flush System : Tornado Flush  
 Water Use : 4.5L / 3L  
 Rough-in : 120-130 mm ( P- Trap )



Black



## NEOREST LS

### CS911VL / TCF87320GAA

Flush System : Tornado Flush  
 Water Use : 3.8L / 3L  
 Rough-in : 305 mm ( S- Trap )

Smart Toilet

Hybrid Ecology System

Bowl Shape : D-Shape  
 Power Rating : 220~240V, 50/60Hz ,835~863W  
 Size : 411W X 725D X 497H mm  
 Remote : Nickel

### CS911PVL / TCF87320GAA

Flush System : Tornado Flush  
 Water Use : 4.5L / 3L  
 Rough-in : 120-130 mm ( P- Trap )



Nickel



## NEOREST AS

### CS921VT / TCF85510GAA

Flush System : Tornado Flush  
 Water Use : 3.8L / 3L  
 Rough-in : 305 mm ( S- Trap )

Smart Toilet

Hybrid Ecology System

Bowl Shape : Elongated  
 Power Rating : 220~240V, 50/60Hz ,846~854W  
 Size : 386W X 692D X 512H mm  
 Remote : Silver

### CS911PVT / TCF85510GAA

Flush System : Tornado Flush  
 Water Use : 4.5L / 3L  
 Rough-in : 120-155 mm ( P- Trap )



Silver



## NEOREST RS

### CS921VT / TCF83410GAA

Flush System : Tornado Flush  
 Water Use : 3.8L / 3L  
 Rough-in : 305 mm ( S- Trap )

Smart Toilet

Hybrid Ecology System

Bowl Shape : Elongated  
 Power Rating : 220~240V, 50/60Hz ,843~852W  
 Size : 386W X 690D X 515H mm  
 Remote : White

### CS911PVT / TCF83410GAA

Flush System : Tornado Flush  
 Water Use : 4.5L / 3L  
 Rough-in : 120-155 mm ( P- Trap )



White



# NEOREST®

## NEOREST WX CW927PZT / TCF95380GAA

Wall Hung Smart Toilet

- Flush System : Tornado Flush
- Water Use : 4.5l / 3.0L
- Rough-in : 180 mm ( P-Trap )
- Bowl Shape : D-Shape
- Power Rating : 220~240V, 50/60Hz , 848~859W
- Size : 449W X 675D X 447H
- Concealed Tank : WH175AEAT
- Flush Plate : MB177M
- Remote : Silver



### Required Accessories



WH175AEAT

## NEOREST LE1 CW994P / TCF994WA

Wall Hung Smart Toilet

- Flush System : Tornado Flush
- Water Use : 4.5l / 3.0L
- Rough-in : 180 mm ( P-Trap )
- Bowl Shape : Elongated
- Power Rating : 220~240V, 50/60Hz , 839~849W
- Size : 423W X 675D X 460H
- Concealed Tank : WH036D
- Flush Plate : MB005DGN
- Remote : Silver



### Required Accessories



WH036D

## NEOREST NX II CS902VL

Smart Toilet

- Flush System : Tornado Flush
- Water Use : 3.8L / 3.0L
- Rough-in : 305 mm ( S-Trap )
- Bowl Shape : Elongated
- Power Rating : 220~240V, 50/60Hz , 835~845W
- Size : 468W X 800D X 565H
- Remote : Silver



Silver

## NEOREST XH1 CW992VA / TCF992WA

Smart Toilet

- Flush System : Tornado Flush
- Water Use : 3.8L / 3.0L
- Rough-in : 305 mm ( S-Trap )
- Bowl Shape : Elongated
- Power Rating : 220~240V, 50/60Hz , 841~851W
- Size : 448W X 820D X 527H
- Remote : Silver



Silver

## NEOREST AH CS989VL / TCF9788WZ

Smart Toilet

- Flush System : Tornado Flush
- Water Use : 3.8L / 3.0L
- Rough-in : 305 mm ( S-Trap )
- Bowl Shape : Elongated
- Power Rating : 220~240V, 50/60Hz , 830~839W
- Size : 389W X 705D X 547H mm
- Remote : Silver



Silver



# WASHLET +



## TECHNOLOGIES

washLÉT. + / washLÉT.



## التقنيات



**PREMIST** رش ذاتي



**CEFIONTECT** سطح ناعم




**RIMLESS** بلا حواف



**EWATER+ FOR BOWL** تنظيف جسم الحوض



**EWATER+ FOR WAND** تنظيف الشطاف الداخلي



**EWATER+ FOR UNDER SEAT** تنظيف أسفل المقعد



**AIR-IN WONDER WAVE** مزج الهواء بالماء



**AUTO OPEN/CLOSE LID** فتح / غلق أوتوماتيكي




**AUTO FLUSH** تصريف تلقائي



**HEATED SEAT** مقعد دافئ



**DEODORIZER** إزالة الروائح الكريهة



**WARM AIR DRYING** جفاف الدافئ بالهواء







**TORNADO FLUSH** تصريف كالأعصار




**WATER SAVING** موفر للماء



# نظرة عامة على وظائف الواشلت WASHLET® + / WASHLET®

WASHLET S5	WASHLET S5	WASHLET S2	WASHLET C5
			
TCF34570GAA	TCF34320GAA	TCF33370GAA	
			TCF6531Z
○ WH172AUD ● WH172AUDAT+TCA502	WH172AUD	WH172AUD	WH172AUD
☐ CW553EA	☐ CW553EA	☐ CW553EA	☐ CW822REA
—	—	—	—
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	—	●
●	●	●	●
●	●	●	●
●	●	●	●
—	—	—	—
● ○	—	—	—
●	●	●	●
●	●	●	●
●	●	●	●
—	—	—	—
●	●	●	●
●	●	●	●
●	●	—	●
●	●	—	●
—	—	—	—
●	●	●	●
—	—	—	—
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●

● Concealed Connection With Auto Flush + Kit    ○ Concealed Connection Without Auto Flush

PRODUCT NAME		اسم المنتج	WASHLET RW / SW		WASHLET S7	
PRODUCT IMAGE		صورة المنتج				
BOWL SHAPE شكل الوعاء		D-SHAPE	TCF801CZ	TCF802C2Z	—	—
		SQUARE SHAPE	TCF803CZ	TCF804C2Z	—	—
		ELONGATED	—	—	TCF4911EZ	TCF47360GAA
REQUIRED ITEM متطلبات	CONCEALED TANK	موديل السيفون	WH172AUD	WH172AUDAT	○ WH172AUD ● WH172AUDAT+TCA464	○ WH172AUD ● WH172AUDAT+TCA546
	MATCHING BOWL	موديل الكرسي	 CW542HME5UNW1  CW522HME5UNW1		 CW812  CW822	 CW812REA  CW822REA
CLEANSING FUNCTIONS وظائف التنظيف	 AIR-IN WONDER WAVE	مزج الهواء بالماء	—	—	●	●
	Rear Cleansing	التشطيف الخلفي	●	●	●	●
	Rear Soft Cleansing	التشطيف الخلفي ناعم	●	●	●	●
	Front Cleansing	التشطيف الامامي	●	●	●	●
	Oscillating Cleansing	تغير موضع التشطيف	●	●	●	●
	Pulsating Cleansing	التشطيف بالنبض	●	●	●	●
	Nozzle Position Adjustment	تعديل فوهة التشطيف	●	●	●	●
COMFORT FUNCTIONS وظائف الراحة	Soft Close Seat & Lid	فتح / اغلاق ناعم	●	●	●	●
	 AUTO OPEN / CLOSE LID	فتح / اغلاق تلقائي	●	●	●	●
	 AUTO FLUSH	تصريف تلقائي	—	●	●   ○	●   ○
	 HEATED SEAT	تدفئة المقعد	●	●	●	●
	 DRYER	جفيف	●	●	●	●
	 DEODORIZER	إزالة الروائح الكريهة	●	●	●	●
	 SOFT LIGHT	ضوء خافت	●	●	●	●
	Temperature (Water)	درجة حرارة الماء	●	●	●	●
	Water Pressure	ضغط الماء	●	●	●	●
	Remote Control	جهاز التحكم عن بعد	●	●	●	●
Personal Setting	الإعداد الشخصي	●	●	●	●	
HYGIENE FUNCTIONS وظائف التعقيم	 EWATER+ For Bowl	الماء المعالج للحوض	●	●	●	●
	 EWATER+ For Wand	الماء المعالج لعصا التشطيف	●	●	●	●
	 EWATER+ For Under Seat	الماء المعالج تحت المقعد	—	—	—	●
	 PREMIST	الرش الذاتي قبل الاستخدام	●	●	●	●
	 SELF-CLEANING WAND	عصا التنظيف الذاتي	●	●	●	●
	Self-Cleaning Button	زر التنظيف الذاتي	●	●	●	●
	Clean Resin	الراتنج التنظيف	●	●	●	●
	Removeable Lid	غطاء قابل للإزالة	●	●	●	●
	One-Touch Removeable Unit	وحدة قابلة للإزالة بلمسة واحدة	●	●	●	●
	Antibacterial Surface	مضاد للجراثيم	●	●	●	●
ENERGY SAVING	Energy Saver	موفر الطاقة	●	●	●	●

● Concealed Connection With Auto Flush + Kit ○ Concealed Connection Without Auto Flush

## CLEANSING SPRAY PATTERNS

## أنواع التنظيف بالرش



### Pulsating Cleansing

### تنظيف بالنبضات

### Oscillating Cleansing

### تنظيف متذبذب

Rhythmically pulsating stream of cleansing warm water.

تيار مياه نابض للتنظيف بالماء الدافئ



The back-and-forth movement of the wand ensures thorough cleansing of the entire area

تتحرك عصا التشطيف للخارج والداخل للتنظيف الكامل



### Water Pressure Adjustment

### تعديل ضغط الماء

### Wand Position Adjustment

### تعديل موضع العصا

Select from five levels of water

خمس مستويات لضغط الماء



You can easily set the wand position according to your

امكانية ضبط عصا الشطاف حسب الرغبة



## CLEAN MATERIAL

الريزون مادة عالية الجودة فهو يصد النفايات والأوساخ ويقاوم البقع ويحافظ على نظافة الأسطح. High-quality resin repels waste and dirt and resists staining, keeping surfaces clean.



## التنظيف الذاتي المضاد للبكتيريا داخل العصا بتقنية EWATER+

### وضع الاستعداد During Stand by

### بعد الاستخدام After Use

### أثناء الاستخدام During use

### قبل الاستخدام Before use



## Always Keeping Conditions Clean

Made of high-quality waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you appreciate how easily you can reach it and wipe spotless.



DRY AREA  
منطقة جافة

## المحافظة على النظافة في جميع الظروف

الريزون مادة عالية الجودة فهو يصد النفايات والأوساخ ويتم رشها تلقائياً بـ EWATER+ بعد كل استخدام. كما أن العصا متصلة بالمقعد وليس الوعاء لذلك من غير المرجح أن تصل النفايات على الرغم من أن العصا قابلة للتنظيف الذاتي إلا أنه يمكنك الوصول إليها بسهولة ومسحها بشكل بدوي.

WATER AREA  
منطقة الماء

## طريقة عمل الماء المعالج كهربائياً في التنظيف EWATER+

هو نظام تنظيف عصا التشطيف تلقائياً بالماء المعالج كهربائياً الذي ينتج عنه ذبذبات تقضي على البكتيريا قبل وبعد كل استخدام أو كل 8 ساعات في حالة عدم الاستخدام.

### How to EWATER+ works

It is a system for cleaning the rinse stick automatically with electro-treated water that produces vibrations eliminate bacteria before and after each use, or every 8 hours when not in use.

## ما هو الماء المعالج كهربائياً EWATER+

يُنتج EWATER+ عن طريق التحليل الكهربائي للكوريد في ماء الصنبور. وهو مطهر فعال للغاية. فهو خالٍ تماماً من المواد الكيميائية وعوامل التنظيف. ومع مرور الوقت يعود EWATER+ إلى حالته الأصلية من المياه العادية. مما يجعله صديقاً للبيئة تماماً.

### What is EWATER+

Produced by electrolysis of the chloride in tap water, EWATER+ is a highly effective sanitizer. It is completely free of chemicals and cleaning agents. Over time EWATER+ returns to its original state of ordinary water, making it completely environmentally friendly.

## PREMIST



## رش ذاتي

هو نظام تلقائي لرش الماء على وعاء المراض قبل وبعد الاستخدام. مما يجعل من الصعب التصاق الأوساخ

It is an automatically system to spray water on the toilet bowl before and after use, making it difficult for dirt to stick



# WASHLET® SW

## CW522HME5UNW1

### Concealed Connection

- with Auto Flush
- without Auto Flush

CW522HME5UNW1	CW522HME5UNW1
TCF804C2Z	TCF803C2Z
WH172AUDAT	WH172AUD

### Wall Hung Toilet with WASHLET SW

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : Square Shape

Size : 380W x 580D x 335H mm

Rough-in : 180mm (P-Trap)

### WASHLET RW

Size : 383W x 579D x 108H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W



WALL HUNG TOILET  
CW522HME5UNW1



WASHLET SW  
● TCF804C2Z - With Auto Flush  
○ TCF803C2Z - With out Auto Flush



Required  
Push Plate

● WH172AUDAT Concealed Tank  
○ WH172AUD Concealed Tank

TECHNOLOGIES	التقنيات	TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار	DEODORIZER	إمتصاص الروائح الكريهة
CEFIONTECT	سطح ناعم	HEATED SEAT	تسخين سطح المقعد
PREMIST	رش ذاتي	DRAYER	مجفف
EWATER+ BOWL & WAND	ماء معالج كهربائياً للوعاء وعصا التنظيف	AUTO OPEN / CLOSE	فتح و غلق تلقائي
● AUTO FLUSH	● تصريف تلقائي	WATER SAVING	توفير الماء
RIM LESS	تصميم بلا حواف		



# WASHLET® SW

## CW522HME5UNW1

### Concealed Connection

- with Auto Flush
- without Auto Flush

CW522HME5UNW1	CW522HME5UNW1
TCF804E2Z	TCF803EZ
WH172AUDAT	WH172AUD

### Wall Hung Toilet with WASHLET SW

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : Square Shape

Size : 380W x 580D x 335H mm

Rough-in : 180mm (P-Trap)

### WASHLET RW

Size : 383W x 579D x 108H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W



WALL HUNG TOILET  
CW522HME5UNW1



WASHLET SW  
● TCF804E2Z - With Auto Flush  
○ TCF803EZ - With out Auto Flush



Required  
Push Plate

● WH172AUDAT Concealed Tank  
○ WH172AUD Concealed Tank

TECHNOLOGIES	التقنيات	TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار	DEODORIZER	إمتصاص الروائح الكريهة
CEFIONTECT	سطح ناعم	HEATED SEAT	تسخين سطح المقعد
PREMIST	رش ذاتي	DRAYER	مجفف
EWATER+ BOWL & WAND	ماء معالج كهربائياً للوعاء وعصا التنظيف	AUTO OPEN / CLOSE	فتح و غلق تلقائي
● AUTO FLUSH	● تصريف تلقائي	WATER SAVING	توفير الماء
RIM LESS	تصميم بلا حواف		



# WASHLET® RW

## CW542HME5UNW1

### Concealed Connection

- with Auto Flush
- without Auto Flush

CW542HME5UNW1	CW542HME5UNW1
TCF802C2Z	TCF801C2Z
WH172AUDAT	WH172AUD

### Wall Hung Toilet with WASHLET RW

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : D-Shape

Size : 380W x 580D x 335H mm

Rough-in : 180mm (P-Trap)

### WASHLET RW

Size : 383W x 579D x 108H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W



WALL HUNG TOILET  
CW542HME5UNW1



WASHLET RW  
● TCF802C2Z - With Auto Flush  
○ TCF801C2Z - With out Auto Flush



Required  
Push Plate

● WH172AUDAT Concealed Tank  
○ WH172AUD Concealed Tank

TECHNOLOGIES	التقنيات	TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار	DEODORIZER	إمتصاص الروائح الكريهة
CEFIONTECT	سطح ناعم	HEATED SEAT	تسخين سطح المقعد
PREMIST	رش ذاتي	DRAYER	مجفف
EWATER+ BOWL & WAND	ماء معالج كهربائياً للوعاء وعصا التنظيف	AUTO OPEN / CLOSE	فتح و غلق تلقائي
● AUTO FLUSH	● تصريف تلقائي	WATER SAVING	توفير الماء
RIM LESS	تصميم بلا حواف		



# WASHLET® RW

## CW542HME5UNW1

### Concealed Connection

- with Auto Flush
- without Auto Flush

CW542HME5UNW1	CW542HME5UNW1
TCF802E2Z	TCF801EZ
WH172AUDAT	WH172AUD

Wall Hung Toilet with WASHLET RW

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : D-Shape

Size : 380W x 580D x 335H mm

Rough-in : 180mm (P-Trap)

### WASHLET RW

Size : 383W x 579D x 108H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W



WALL HUNG TOILET  
CW542HME5UNW1



WASHLET RW  
● TCF802E2Z - With Auto Flush  
○ TCF801EZ - With out Auto Flush



Required  
Push Plate

● WH172AUDAT Concealed Tank  
○ WH172AUD Concealed Tank

TECHNOLOGIES	التقنيات	TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار	DEODORIZER	إمتصاص الروائح الكريهة
CEFIONTECT	سطح ناعم	HEATED SEAT	تسخين سطح المقعد
PREMIST	رش ذاتي	DRAYER	مجفف
EWATER+ BOWL & WAND	ماء معالج كهربائياً للوعاء وعصا التنظيف	AUTO OPEN / CLOSE	فتح و غلق تلقائي
● AUTO FLUSH	● تصريف تلقائي	WATER SAVING	توفير الماء
RIM LESS	تصميم بلا حواف		

# WASHLET®

## S5

### CW553EA

#### Concealed Connection

- with Auto Flush ○ without Auto Flush

CW553EA	CW553EA
TCF35470GAA	TCF34320GAA
KIT : TCA502	TCF33370GAA
WH172AUDAT	WH172AUD

#### Wall Hung Toilet with WASHLET S5

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : D-Shape

Size : 380W x 540D x 335H mm

Rough-in : 180mm (P-Trap)

#### WASHLET S5

Size : 383W x 540D x 130H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W



WALL HUNG TOILET  
CW553EA



WASHLET S5

- TCF34570GAA+TCA502 - With Auto Flush
- TCF34320GAA / TCF33370GAA - With out Auto Flush



KIT : TCA502



Required  
Push Plate

- WH172AUDAT Concealed Tank
- WH172AUD Concealed Tank

TECHNOLOGIES	التقنيات	TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار	DEODORIZER	إمتصاص الروائح الكريهة
CEFIONTECT	سطح ناعم	HEATED SEAT	تسخين سطح المقعد
PREMIST	رش ذاتي	DRAYER	مجفف
EWATER+ BOWL & WAND	ماء معالج كهربائياً للوعاء وعصا التنظيف	RIM LESS	تصميم بلا حواف
● AUTO FLUSH	● تصريف تلقائي	WATER SAVING	توفير الماء

# WASHLET® S7

## CW812REA

### Concealed Connection




- with Auto Flush ○ without Auto Flush

CW812REA | CW812REA  
TCF47360GAA | TCF47360GAA  
WH172AUDAT | WH172AUD  
Kit : TCA546

Wall Hung Toilet with WASHLET S7  
Flush System : Tornado Flush  
Water Use : 4.5L / 3L  
Bowl Shape : Elongated  
Rough-in : 180mm (P-Trap)  
Water Pressure: 0.05MPa~0.75MPa  
Power Rating : 220~240V , 50/60Hz, 830~839W  
Length of Power : 1.2M  
Card



Need Push Plate



- Concealed Connection With Auto Flush + Kit
- Concealed Connection Without Auto Flush



## CW822REA

### Concealed Connection




- with Auto Flush ○ without Auto Flush

CW822REA | CW822REA  
TCF47360GAA | TCF47360GAA  
WH172AUDAT | WH172AUD  
Kit : TCA546

Wall Hung Toilet with WASHLET S7  
Flush System : Tornado Flush  
Water Use : 4.5L / 3L  
Bowl Shape : Elongated  
Rough-in : 180mm (P-Trap)  
Water Pressure: 0.05MPa~0.75MPa  
Power Rating : 220~240V , 50/60Hz, 830~839W  
Length of Power : 1.2M  
Card



Need Push Plate



- Concealed Connection With Auto Flush + Kit
- Concealed Connection Without Auto Flush



TECHNOLOGIES	التقنيات	TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كإعصار	DEODORIZER	إمتصاص الروائح الكريهة
CEFIONTECT	سطح ناعم	HEATED SEAT	تسخين سطح المقعد
PREMIST	رش ذاتي	DRAYER	مجفف
EWATER+ BOWL & WAND & UNDER SEAT	ماء معالج كهربائياً للوعاء وعصا التنظيف	AUTO OPEN / CLOSE	فتح و غلق تلقائي
AIR-IN WONDER WAVE	مزج الهواء بالماء	● AUTO FLUSH	● تصريف تلقائي
RIM LESS	تصميم بلا حواف	WATER SAVING	توفير الماء

# WASHLET® + / WASHLET®

**CONCEALED CONNECTION  
WITH AUTO FLUSH**

**تصريف تلقائي**

**TCF802CZ  
TCF 802E2Z**

**WASHLET - RW**

WASHLET - RW with Concealed Tank

Bowl Shape: D-Shape

Water Pressure : 0.05MPa~0.75MPa

Length of Power Card : 0.9m

Size : 383W x 579D x 108H mm

Power Rating : 220~230V, 50/60Hz, 826~837W

Concealed Tank : WH172AUDAT



**CONCEALED CONNECTION  
WITHOUT AUTO FLUSH**

**تصريف عادي**

**TCF801CZ  
TCF801EZ**

**WASHLET - RW**

WASHLET - RW with Concealed Tank

Bowl Shape: D-Shape

Water Pressure : 0.05MPa~0.75MPa

Length of Power Card : 0.9m

Size: 383W x 579D x 108H mm

Power Rating: 220~240V, 50/60Hz, 826~837W

Concealed Tank : WH172AUD



**TCF804CZ  
TCF804E2Z**

**WASHLET - SW**

WASHLET - SW with Concealed Tank

Bowl Shape: Square Shape

Water Pressure : 0.05MPa~0.75MPa

Length of Power Card : 0.9 m

Size : 383W x 579D x 108H mm

Power Rating : 220~240V, 50/60Hz, 826~837W

Concealed Tank : WH172AUDAT



**TCF803CZ  
TCF803EZ**

**WASHLET - SW**

WASHLET - SW with Concealed Tank

Bowl Shape: Square Shape

Water Pressure : 0.05MPa~0.75MPa

Length of Power Card : 0.9 m

Size: 383W x 579D x 108H mm

Power Rating: 220~240V, 50/60Hz, 826~837W

Concealed Tank : WH172AUD



**TCF47360GAA**

**WASHLET - S7**

WASHLET - S7 with with Concealed Tank + Kit

Bowl Shape: Elongated

Water Pressure : 0.05MPa~0.75MPa

Length of Power Card : 1.2 m

Size : 383W x 530D x 103H mm

Power Rating : 220~240V, 50/60Hz, 830~839W

Concealed Tank : WH172AUDAT

Kit : TCA546



**TCF47360GAA**

**WASHLET - S7**

WASHLET - S7 with with Concealed Tank + Kit

Bowl Shape: Elongated

Water Pressure : 0.05MPa~0.75MPa

Length of Power Card : 1.2 m

Size : 383W x 530D x 103H mm

Power Rating : 220~240V, 50/60Hz, 830~839W

Concealed Tank : WH172AUD



**TCF4911EZ**

**WASHLET - S7**

WASHLET S7 with Concealed Tank + Kit

Bowl Shape: Elongated

Water Pressure : 0.05MPa~0.75MPa

Length of Power Card : 1.2 m

Size : 383W x 532D x 125H mm

Power Rating : 220~240V, 50/60Hz, 830~839W

Concealed Tank : WH172AUDAT

Kit : TCA464



**TCF34320GAA**

**WASHLET - S5**

WASHLET - S5 with Concealed Tank

Bowl Shape: D-Shape

Water Pressure : 0.05MPa~0.75MPa

Length of Power Card : 1.2m

Size : 383W X 540D x 130H mm

Power Rating : 220~240V, 50/60Hz, 826~837W

Concealed Tank : WH172AUD



**TCF34570GAA**

**WASHLET - S5**

WASHLET - S5 with Concealed Tank + Kit

Bowl Shape: D-Shape

Water Pressure : 0.05MPa~0.75MPa

Length of Power Card : 1.2m

Size : 380W x 540D x 130H mm

Power Rating : 220~240V, 50/60Hz, 826~837W

Concealed Tank : WH172AUDAT

Kit : TCA502



**TCF33370GAA**

**WASHLET - S2**

WASHLET - S5 with Concealed Tank

Bowl Shape: D-Shape

Water Pressure : 0.05MPa~0.75MPa

Length of Power Card : 1.2m

Size : 462W X 540D x 130H mm

Power Rating : 220~240V, 50/60Hz, 826~837W

Concealed Tank : WH172AUD








# WALL HUNG TOILET - SET

## CW951JWS TOJA




Wall Hung Toilet  
 Flush System : Wash Down  
 Bowl Shape : European  
 Rough-In : 180mm (P-Trap)  
 Seat Cover : TC950SJ  
 Size : 366W X 595D X 351H mm



## BW951J TOJA




Wall Hung Bidet  
 Size : 365W X 595D X 260H mm



## CW812RA LE MUSE




Wall Hung Toilet  
 Bowl Shape : Elongated  
 Rough-In : 180mm (P-Trap)  
 Seat & Cover : TC811SJ  
 Flush System : TORNADO (4.5/3L)  
 Size : 380W X 595D X 335H mm



## BW812J LE MUSE



Wall Hung Bidet  
 Size : 380W X 595D X 315H mm




# WALL FACED TOILET - SET

## CW275JWS ALISEI




Wall Faced Closet Toilet  
 Flush System : Tornado Flush  
 Bowl Shape : Elongated  
 Rough-In : 180mm (P-Trap)  
 Seat & Cover : TC273SJ  
 Size : 404W X 590D X 400H mm



## BW275JWS ALISEI




Wall Faced Bidet w/ Invisible Fixing Kit  
 Bowl Shape : Square Elongated  
 Size : 404W x 590D x 422H mm



## CW824NPJWS AVANTE




Wall Faced Closet Toilet  
 Flush System : Wash Down  
 Bowl Shape : Round  
 Rough-In : 180 mm (P-Trap)  
 Seat & Cover : TC282SJ  
 Size : 360W X 525D X 490H mm



## BW823NJ AVANTE



Floor Mounted Bidet  
 Size : 435W X 650D X 390H mm



WATER SAVING



TORNADO FLUSH



RIM LESS




CEFIONTECT

# WALL HUNG TOILET

## CW678RJWS AVANTE




Wall Hung Toilet  
 Flush system : Tornado  
 Bowl Shape : Elongated  
 Rough-in : 180mm (P-Trap)  
 Size : 380W X 540D X 335H mm  
 Soft Close Seat & Cover - TC281SJ  
 with CEFIONTECT



## CW271PJWS





Wall Hung Toilet  
 Flush system : Tornado  
 Bowl Shape : Elongated  
 Rough-in : 210mm (P-Trap)  
 Size : 405W X 540D X 450H mm  
 Soft Close Seat & Cover - TC273SJ  
 with CEFIONTECT



## CW512YR / 7EE007 / TC501CVK RENESSE




Wall Hung Toilet  
 Flush system : Tornado  
 Bowl Shape : Elongated  
 Rough-in : 180mm (P-Trap)  
 Size : 380W X 540D X 335H mm  
 Soft Close Seat & Cover - TC501CVK  
 with CEFIONTECT



## CW182ME5




Wall Hung Toilet  
 Flush System : Wash Down  
 Bowl Shape : D-Shape  
 Rough-In : 180mm (P-Trap)  
 Seat & Cover : TC506VS  
 Size : 355W X 520D X 344H mm



## CW522A




Wall Hung Toilet  
 Flush System : TORNADO (4.5/3L)  
 Bowl Shape : Square Elongated  
 Rough-in : 180 mm (P-Trap)  
 Seat & Cover : TC512A ( Made in Germany )  
 Size : 380W x 580D x 335H mm  
 with CEFIONTECT



## CW162Y URBANIQUE




Wall Hung Toilet  
 Flush System : Tornado  
 Bowl Shape : D-Shape  
 Rough-In : 180mm (P-Trap)  
 Seat Cover : TC390CVK  
 Size : 394W X 530D X 339H mm  
 with CEFIONTECT



## CW875NJ OMNI +




Wall Hung Toilet  
 Flush System : Wash Down  
 Bowl Shape : D-Shape  
 Rough-In : 180mm (P-Trap)  
 Seat & Cover : TC811SJ  
 Size : 360W X 545D X 344H mm



## CW142Y



Wall Hung, Barrier - Free  
 Flush system : Tornado Flush  
 Rough-in : 180mm (P-Trap)  
 Seat & Cover : VC140V1 (Made in Germany)  
 Size : 355W X 710D X 400H mm  
 with CEFIONTECT



# WALL - MOUNTED FLUSHOMETER TOILET - AUTOMATIC


## CW708EV AUTOMATIC

Product Name : Wall Hung Toilet  
 Flush System : Automatic Flush  
 Water Use : 4.8L / Colour : White  
 Rough-in : 180mm ( P-Trap )  
 Water Pressure : 0.07MPa ~ 0.75MPa  
 Size : 385W x 622D X 334H mm




### • CT708EV

Commercial wall-mounted toilet with  
 1-1/2" back spud inlet, less seat .




## CW822RFVA AUTOMATIC



Flush system : TORNADO FLUSH  
 Rough-in : 180mm ( P-Trap )  
 Bowl Shape : Elongated  
 Size : 380W x 540D x 330H mm  
 Seat & Cover : TC385VS



## TREF25U2A Concealed Toilet Sensor Flush Valve



## TREF35L2A Concealed Toilet Sensor Flush Valve



# WALL - MOUNTED FLUSHOMETER TOILET - MANUAL


## CW708E MANUAL

Product Name : Wall Hung Toilet  
 Flush System : Wash Down , Siphon jet  
 Water Use : 4.8L / Colour : White  
 Rough-in : 180mm ( P-Trap )  
 Water Pressure : 0.07MPa ~ 0.75MPa  
 Size : 385W x 622Dx 334H mm




### • CT708E

Commercial wall-mounted toilet with  
 1-1/2" top spud inlet, less seat .



## CW705ENJ


Single Bowl Toilet (for The Disabled)  
 Flush Valve W/Vacuum Breaker  
 for (CW705, CW705L (TV150NSV7J))  
 Bowl Shape : Elongated  
 Rough-In : 280mm (S-Trap)  
 Size : 360W X 680D X 445H mm



## SC534 Elongated Commercial Toilet Seat Cover

### Features :

- Elongated open front toilet seat
  - Mounting hardware included
- Material : Polypropylene  
 Colour : White  
 SIZE : 375W X 473D X 76.2H




Made in U.S.A

## TV150NSJ Exposed Manual Toilet



Product Name : Flush Valve with Vacuum Breaker  
 Flush System : Siphon - Jet  
 Water Use : 4.8L / Colour : Chrome  
 Flow Rate : 54.0 Lpm  
 Water Pressure : 0.07MPa ~ 0.75MPa




# Consistent Flushing Performance

Constant flow EFV Stabilizes flush volume even when water pressure fluctuates

## Design

- ① Frameless Design
- ② Beautiful metallic finish
- ③ Sensor flush with the molding surface
- ④ Status light indicator  
(Only TREF35 is outfitted with this feature.)
- ⑤ Large push buttons usable by anyone






## Features

- ① **Quality**  
Protect against static electricity and prevent water penetration with PCB potting
- ② **Reliability**  
3 types of dust contamination filter  
- Solenoid Valve Filter  
- Piston Valve 360° Filter  
- Stop Valve Filter
- ③ **Ease of Installation**

## New Flushing Technology

When there are water pressure fluctuations, a spring contracts to maintain water volume and force at a constant level.


\* Only applicable to TREF35



Environment Factors	Current Situation		New Flushing Technology	
	Disturbance	Flushing Performance	Disturbance	Flushing Performance
Water Supply Pumps Specifications	Pressure Increased	Excessive Flush Volume	Constant Flow Rate Technology ↓ Disturbance Impact Reduction	Stable Flush Volume
Simultaneous Serial Flushes	Pressure Decreased	Poor Flushing Volume		Stable Flush Volume
	Pressure Decreased	Poor Flushing Volume		Stable Flush Volume
	Volume & Performance		Volume & Performance	


## Flushing Volume Chart

Constant flow EFV stabilizes flush volume even when water pressure fluctuates



# CLOSE COUPLED TOILET

## CW273PJWS




Close Couple Toilet  
 Flush System : Tornado Flush  
 Bowl Shape : Elongated  
 Rough-In : 220 mm (THX918) - (S-Trap)  
 Seat & Cover : TC273SJ  
 Size : 410W X 725D X 875H mm

Matching Socket : THX918




## CW960JWSSA



Close Couple Toilet  
 Flush system : Wash Down ( Dual )  
 Bowl Shape : Elongated  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC950SJ  
 Size : 380W X 760D X 820H mm




## C320E1#W



Close Coupled Toilet  
 Flush System : Siphon  
 Bowl Shape : Elongated  
 Rough-In : 180mm ( P-Trap)  
 305mm (S-Trap)  
 Seat & Cover : TC385VS  
 Size : 379W X 695D X 763H mm




## CW896JWS



Close Couple Toilet  
 Flush system : Wash Down  
 Bowl Shape : D-Shape  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC880SJ  
 Size : 385W X 740D X 730H mm



## CW635PJWS




Close Coupled Toilet  
 Flush System : Wash Down  
 Bowl Shape : Elongated  
 Rough-In : 180mm (P-Trap)  
 250mm (S-Trap)  
 Seat & Cover : TC635SJ  
 Size : 400W X 690D X 723H mm

Matching Socket : THX918



# ONE-PIECE TOILET

## CW823RA AVANTE




One piece toilet  
 Flush System : Tornado Flush  
 Bowl Shape : Elongated  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC281SJ  
 Size : 510W X 750D X 640H mm

**Optional Parts :**  
 WASHLET : TCF491EZ  
 Auto Flush Motor : TCA438  
 Floor Flange : T53P100V5




## CW840JW



One-Piece Toilet  
 Flush System : Wash Down  
 Bowl Shape : Elongated  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC840SJ  
 Size : 510W X 755D X 630H mm



## C636DE#XW




One-Piece Toilet  
 Flush System : Tornado Flush  
 Bowl Shape : Elongated  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC393VS  
 Size : 490W X 740D X 670H mm


Matching Socket : TCP16



## CW895JW OMNI +



One-Piece Toilet  
 Flush system : Wash Down  
 Bowl Shape : Elongated  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC880SJ  
 Size : 360W X 720D X 660H mm




# CONCEALED TANK

## WH036D

Product Name : Concealed tank with Frame  
 Flush System : Sensor / Auto Flush  
 Water Use : 4.8L / 3L  
 Water Pressure : 0.1MPa ~ 0.75MPa  
 Width : 500 mm  
 Depth : 190~220 mm  
 Height : 1000~1120 mm

### FEATURES :

Flush panel can be installed in front of the tank, can also be installed on the tank top, used for different occasions




### NOTE :

Suitable Toilet :  
 NEOREST LE 1 CW994P

## MB005DGN

Product Name : Flush Panel  
 Flush System : Auto Dual Flush  
 Colour : Glass White  
 Material : Glass/ ABS  
 Size : 220W X 11D X 150H (mm)




## WH175AEAT

Product Name : Concealed tank with Frame  
 Flush System : Sensor / Auto Flush  
 Water Use : 6.0L / 4.8L  
 Water Pressure : 0.1MPa ~ 0.75MPa  
 Width : 500 mm  
 Depth : 150~225 mm  
 Height : 1000~1120 mm

### FEATURES :

Flush panel can be installed in front of the tank, can also be installed on the tank top, used for different occasions.




### NOTE :

Suitable Toilet :  
 NEOREST WX CW927PZT

## MB177M

Product Name : Flush Panel  
 Flush System : Auto Dual Flush  
 Colour : Matt Silver  
 Material : Stainless Steel ( SUS )  
 Size : 243W X 11.8D X 159H (mm)




## WH005

Product Name : Concealed Frame  
 Width : 500 mm  
 Depth : 165~220 mm  
 Height : 520~680 mm

### FEATURES :

- > Foot height is adjustable in 220mm range for a different installation requirements
- > Simple installation Operation




# CONCEALED TANK

## WH172AUDAT

Product Name : Concealed tank with Frame  
 Flush System : Sensor  
 Water Use : 4.5L / 3.0L  
 Water Pressure : 0.05Mpa~0.75Mpa  
 Width : 500 mm  
 Depth : 190~220 mm  
 Height : 1000~1120 mm

### FEATURES :

- \* Dual Flush System
- \* WATER SAVING
- \* Auto-Flushing Feature
- \* Compatible with WASHLET+




## WH172AUD

Product Name : Concealed tank with Frame  
 Water Use : 4.5L / 3.0L  
 Water Pressure : 0.05Mpa~0.75Mpa  
 Width : 500 mm  
 Depth : 190~220 mm  
 Height : 1000~1120 mm

### FEATURES :

- \* Dual Flush System
- \* WATER SAVING



# FLUSH PANEL

## MB003CPR2



Flush System : Dual  
 Colour : Matt Silver  
 Material : ABS  
 Size : 242W X 36D X 156H ( mm )

## MB170P#SS



Flush System : Dual  
 Colour : Matt Silver  
 Material : Stainless Steel ( SUS )  
 Size : 243W X 25D X 159H ( mm )

## MB174P#SS



Flush System : Dual  
 Colour : Matt Silver  
 Material : Stainless Steel ( SUS )  
 Size : 243W X 25D X 159H ( mm )

## MB171M#SS



Flush System : Dual  
 Colour : Matt Silver  
 Material : Stainless Steel ( SUS )  
 Size : 242W X 11.8D X 159H ( mm )

## MB175M#SS



Flush System : Dual  
 Colour : Matt Silver  
 Material : Stainless Steel ( SUS )  
 Size : 242W X 11.8D X 159H ( mm )

## MB174P#SS




Flush System : Dual  
 Colour : Glass White  
 Material : Glass / ABS  
 Size : 220W X 11D X 150H ( mm )

# LAVATORIES

## LW951CJW TOJA




Console Lavatory  
605W x 455D x 100H mm



## L4716RE



Console Lavatory  
600W x 380D x 70H mm




Matt White # MW    Matt Gray # MGR    Matt Black # MBL

## LW952JW TOJA




Console Lavatory  
570W X 355D X 100H mm



## LW631JW




Console Lavatory  
710W x 410D x 125H mm



## LW953JW TOJA




Console Lavatory  
700W X 350D X 109H mm



## LW630JW




Console Lavatory  
600W x 370D x 110H mm



## L710CTRE




Console Lavatory  
500W X 450D X 135H mm



## LW819




Vessel Lavatory  
800W X 370D X 150H mm



## LW573JW




Console Lavatory  
420W x 420D x 125H mm



## LW896JW



Console Lavatory  
620W X 430D X 130H mm




# LAVATORIES

## LW651JK1




Round Under Counter Lavatory  
570W x 423D x 300H mm



## L505E




Under Counter Lavatory  
528W x 365D x 185H mm



## LW569ME5T1




Round Under Counter Lavatory  
432W X 355D X 200H mm



## LW647CJ




Square Semi Recessed Lavatory  
520W X 420D X 300H mm



## LW587JW




Round Under Counter Lavatory  
539W x 437D x 190H mm



## LW595J




Square Under Counter Lavatory  
635W X 315D X 200H mm



## L548




Round Under Counter Lavatory  
600W x 420D x 215H mm



## LW540JK2




Square Under Counter Lavatory  
450W X 360D X 200H mm




## L501CE




Round Self Rimming Lavatory  
508W x 432D x 25H mm



## LW542MUNW1



Under Counter Lavatory  
315W X 480D X 206H mm



# PUBLIC



TOTO urinals come with several features that make them a preferred choice for public spaces and luxurious homes.

مبولات TOTO تتميز بعدة خصائص تجعلها خياراً مفضلاً في الأماكن العامة والمنازل الفاخرة. فيما يلي أهم المميزات:

## What is EWATER+ technology?

- EWATER+ (Electrolyzed Water) is a chloride-mixed water solution that creates a mildly acidic compound with natural cleaning and disinfecting properties.
- It is generated through a simple electrical process without the need for additional chemicals.
- The system automatically and periodically sprays the solution inside the urinal to maintain cleanliness without manual intervention.
- This reduces the buildup of bacteria and dirt while effectively eliminating odor-causing elements.
- As a result, it minimizes the use of chemical cleaners, enabling a natural and eco-friendly cleaning process without the need for strong detergents.
- This ensures that the urinal remains clean and free from germs between uses.

Let me know if you need further adjustments!



## ما هي تقنية EWATER+ ؟

- (+EWATER) هو محلول مائي ممزوج بالكلوريد ينتج مركباً حمضياً ضعيفاً يتميز بخصائص تنظيف وتعقيم طبيعية.
- يتم إنتاجه عبر عملية كهربائية بسيطة دون الحاجة إلى إضافة مواد كيميائية.
- يقوم النظام برش المحلول تلقائياً وبشكل دوري داخل المبولة للحفاظ على نظافتها دون تدخل يدوي.
- يساهم ذلك في تقليل تراكم البكتيريا والأوساخ. كما يقضي بفعالية على مسببات الروائح الكريهة.
- يؤدي ذلك إلى تقليل استخدام المواد الكيميائية، مما يوفر عملية تنظيف طبيعية وصديقة للبيئة دون الحاجة إلى منظفات قوية.
- هذا يضمن بقاء المبولة نظيفة وخالية من الجراثيم بين الاستخدامات.

SUPPRESSES bacteria growth in the trap of urinal

يمنع نمو البكتيريا في فخ المبولة




Regularly spray EWATER+ to effectively inhibit pollution in the trap area

رش EWATER+ بانتظام يمنع بشكل فعال التلوث في منطقة الصرف

Urinal Automatic Interval Flush

تنظيف تلقائي داخل المبولة




Every 2 hours, it will flush automatically

كل ساعتين سيتم التنظيف تلقائياً

## What is CEFIONTECT technology?

CEFIONTECT is an advanced innovation by TOTO used in ceramic products, including urinals, to ensure maximum hygiene and durability.



## ما هي تقنية CEFIONTECT ؟

هي ابتكار متقدم من TOTO يُستخدم في منتجات السيراميك، بما في ذلك المبولات، لضمان أعلى مستويات النظافة والمتانة.

Benefits of CEFIONTECT Technology in TOTO Urinals:

- Super Smooth Surface: The coating creates an ultra-smooth surface that prevents dirt and bacteria from adhering to the urinal.
- Stain Resistance: It prevents the buildup of limescale and germs, making cleaning quicker and easier.
- Eco-Friendly: The clean surface reduces the need for harsh chemical cleaners.
- Long-Lasting Durability: The corrosion-resistant coating ensures the urinal maintains its appearance over time.
- Permanent Shine: CEFIONTECT provides a lasting glossy finish, enhancing the urinal's aesthetic appeal.


مزايا تقنية CEFIONTECT في مبولات TOTO:

- سطح أملس للغاية: يتميز الطلاء بسلاسة فائقة تمنع التصاق الأوساخ والبكتيريا على سطح المبولة.
- مقاومة تراكم البقع: تمنع تراكم الرواسب الكلسية والجراثيم، مما يجعل التنظيف أسهل وأسرع.
- صديقة للبيئة: بفضل السطح النظيف، يمكن تقليل الحاجة إلى استخدام مواد التنظيف الكيميائية القوية.
- متانة طويلة الأمد: الطلاء المقاوم للتآكل يضمن الحفاظ على مظهر المبولة لفترة طويلة.
- مظهر لامع دائم: يوفر طلاء CEFIONTECT لمعاناً دائماً، مما يعزز من جمال المبولة.

# WALL HUNG URINAL & FLUSH VALVE


## USWN900AET3#XW

Product Name : Wall Hung Urinal with Built-in Sensor (AC Type) with CEFIONTECT  
 Flush System : Sensor  
 Flush Volume : 0.5L  
 Water Pressure : 0.07MPa~0.75MPa  
 Size : 380W X 420D X 920H mm




## UW870J

Product Name : Wall Hung Urinal with Built-in Sensor (AC Type) with CEFIONTECT  
 Flush System : Sensor  
 Flush Volume : 0.5L  
 Water Pressure : 0.07MPa~0.75MPa  
 Size : 400W X 365D X 836H mm




## USWN925AET3#XW

Product Name : Wall Hung Urinal with Built-in Sensor (AC Type) with CEFIONTECT  
 Flush System : Sensor  
 Flush Volume : 0.5L  
 Water Pressure : 0.07MPa ~ 0.75MPa  
 Size : 380W x 400D x 590H mm



## UW447HJT1 + DUE126UK

Product Name : Wall Hung Urinal ( Back Inlet )  
 Type W/ Built-in Sensor AC 220V Operated  
 Flush System : Sensor / Flush Volume : 0.4L  
 Size : 444W X 356D X 685H mm




## UW104HJ + DUE126UK

Product Name : Wall Hung Urinal - ( Back Inlet )  
 Flush System : Sensor / Flush Volume : 0.8L  
 Size : 326W X 355D X 545H mm




## UW58HJW + DUE126UK

Product Name : Wall Hung Urinal - ( Back Inlet )  
 Flush System : Sensor / Flush Volume : 0.8L  
 Size : 330W X 365D X 690H mm




## U57

Product Name : Wall Hung Urinal - ( Top Inlet )  
 Flush System : Manual  
 Flush Volume : 0.8L  
 Size : 330W X 310D X 605H mm




## T60RN

Product Name : Urinal Flush Valve  
 Min Water Pressure : 0.05 MPa  
 Max Water Pressure : 0.75 MPa  
 Flow Rate : 15.0 Lpm  
 Made in : STI - Indonesia




## DUE126UK

Product Name : In-wall Sensor Urinal Flush Valve  
 Flush System : Sensor /  
 Flush Volume : 0.5L  
 Power Source : "DC" Battery  
 Panel Material : Stainless steel panel  
 Water Pressure : 0.05MPa ~ 0.75MPa  
 Size : 115W X 7D X 115H mm  
 Sensing Distance : 800mm away from the front of inductive window




# LAVATORIES

## LW103CJ+TX709AV4N




Wall Hung Lavatory  
580W X 550D X 850H mm

## LW240CJ+THX1A-3N




Wall Hung Lavatory  
500W X 350D X 850H mm

## LW286CME5+LW286HFME5




Wall Hung Lavatory  
550W X 430D X 860H mm

## LW240CJ+LW240HFJ




Wall Hung Lavatory  
500W X 350D X 820H mm

## LW300CME5+LW300HFME5




Wall Hung Lavatory  
500W X 430D X 850H mm

## LW241CJ+LW242HFJ




Wall Hung Lavatory  
580W X 500D X 820H mm

## LW820CJ+LW820HFJ




Wall Hung Lavatory  
700W X 550D X 850H mm

## LW242CJ+LW242HFJ




Wall Hung Lavatory  
660W X 545D X 850H mm

## LW898CJW OMNI +



Wall Hung Lavatory  
600W X 345D X 850H mm

## SKW322B



Service Sink W/ back hanger + Pedestal  
560W X 456D X 883H mm ( Incl.Drain Waste )

## BABY CHAIR



### YKA15VC

Size : 300W X 250D X 950H (mm)

#### FEATURES

- > The fixed seat is designed as a fully surrounded one so that babies can get seated comfortably.
- > Smooth surface is easy to clean.

#### ATTENTION:


- > Please strictly follow the installation manual to install the product.
- > Only installing on a concrete floor allowed.
- > To assure a safe use, please do a good daily checking work.
- > The baby chair is designed for babies aged from 5 to 30 months who can get seated independently.

#### المميزات

- المقعد الثابت مصمم بشكل مريح لجلوس الأطفال.
- سطح أملس سهل التنظيف.

#### تعليمات السلامة :

- يرجى اتباع دليل التثبيت بدقة لتثبيت المنتج .
- يسمح فقط بالتركيب على أرضية خرسانية .
- لضمان استخدام آمن ، يرجى القيام بعمل فحص يومي جيد .
- كرسي الأطفال مصمم للأطفال من سن 5 إلى 30 شهرًا .
- يمكن أن يجلس بشكل مستقل .



## BABY BED

### YKA25VC

Using time : W:780×D:560×H:950(mm) / Folding time : W:780×D:135×H:1145(mm)

#### FEATURES

- > Protection bars are designed in case babies may turn over or stretch legs when sleeping.
- > Fixing waist belt available to protect a fast-asleep baby.
- > The height of the bed is convenient for changing a baby's napkin.

#### ATTENTION:


- > Please strictly follow the installation manual to install the product. Only installing on a concrete floor allowed.
- > To assure a safe use, please do a good daily checking work
- > The baby bed is designed for babies aged from 1 to 24 months.

#### المميزات :

- تم تصميم قضبان الحماية في حالة انقلاب الطفل .
- حزام الخصر لحماية الطفل .
- ارتفاع السرير مناسب لتغيير حفاضات الطفل .

#### معلومات السلامة :

- يرجى اتباع دليل التثبيت بدقة لتثبيت المنتج .
- يسمح فقط بالتركيب على أرضية خرسانية .
- لضمان استخدام آمن ، يرجى القيام بعمل فحص يومي جيد .
- سرير الأطفال مصمم للأطفال من سن 1 إلى 24 شهرًا .



# TOUCHLESS FAUCET



## AUTO FAUCET - ( ECO POWER )



The automatic faucet feature an almost invisible sensor in the spout. It registers every hand movement precisely and is tamper-proof.



TOTO offers a wide range of faucets for washbasins, in addition to a unique, environmentally friendly faucet system. Self Power technology incorporates a micro-sensor and a small generator that make Self Power faucets self-sufficient in terms of energy use.

يتميز الصنبور الأوتوماتيكي بمستشعر غير مرئي تقريباً في الفوهة. يسجل كل حركة يد بدقة ولا يمكن العبث بها.



تقدم TOTO مجموعة واسعة من الحنفيات لأحواض الغسيل . بالإضافة إلى نظام صنابير فريد وصديق للبيئة. تشتمل تقنية Self Power على مستشعر دقيق ومولد صغير يجعل صنابير الطاقة الذاتية مكتفية ذاتياً من حيث استخدام الطاقة.



**SELFPOWER** incorporates two technologies for public facilities. They work together to ensure optimum power- and water-saving performance.

The first is an **automatic microsensor** – one of the world's smallest – positioned at the tip of the spout. Accurate hand detection means only the minimum necessary amount of water is used.

Located inside the unit is the second technology, a **Generator** that harnesses the energy from water flowing through the tap to make the micro-sensor energy-self-sufficient.

يتضمن **SELFPOWER** تقنيتين للمرافق العامة. يعملون معاً لضمان الأداء الأمثل لتوفير الطاقة والمياه.

**أولاً جهاز الاستشعار:**

هو جهاز استشعار دقيق تلقائي - أحد أصغر أجهزة الاستشعار في العالم - يتم وضعه على طرف الفوهة. فالمستشعر الدقيق يقلل من كمية المياه المستخدمة.

**ثانياً المولد الذاتي:**

يوجد داخل الوحدة تقنية أخرى وهي مولد يستخدم الطاقة من المياه المتدفقة عبر الصنبور لجعل المستشعر الدقيق ذاتي الاكتفاء.

**المميزات**

### Features

- \* A faster, more convenient experience for users .
- \* Hands-free means superior hygiene .
- \* Self-generated power saves electricity .
- \* Aerated flow is water-efficient .
- \* Sensor ensures that the tap is never left running .

- \* تجربة أسرع وأكثر ملاءمة للمستخدمين.
- \* عدم استخدام اليدين يعني نظافة فائقة.
- \* الطاقة المولدة ذاتياً توفر الكهرباء.
- \* التدفق الهوائي فعال في توفير المياه.
- \* يضمن المستشعر عدم ترك الصنبور قيد التشغيل.

### Micro Sensor

Integrated into the tip of the spout for accurate movement sensing.

مدمج في طرف الفوهة لاستشعار دقيق للحركة

### Aerated Water


Reduces water consumption by 50%

مياه مضغوطة بالهواء  
يقلل من استهلاك المياه بنسبة 50%


### Solenoid Valve

Activated by electricity from the power generator


الصمام اللولبي  
يتم تشغيله بالكهرباء المولدة من قوة دفع الماء .



Mixing Air with Water  
خلط الهواء بالماء



Air enters thru the cap  
مدخل للهواء من خلال الغطاء




### Power Generator

Water turns the power generator's turbine, creating an electrical current .

مولد الطاقة  
يدير الماء توربينات مولد الطاقة .  
ما يخلق تياراً كهربائياً

SELF POWER  
المولد الذاتي للطاقة

Thermostat  
التحكم بالحرارة




# AUTO FAUCET

## DLE110 series



### DLE110A2NM Tall

Auto Faucet ( Spout Only )  
Flow Rate : 2L/Min  
Required Parts : A & B  
Spout Opening  
Distance : Height : 255 mm  
Length : 123 mm




### DLE110A1NM Semi-Tall

Auto Faucet ( Spout Only )  
Flow Rate : 2L/Min  
Required Parts : A & B  
Spout Opening  
Distance : Height : 165mm  
Length : 123mm




### DLE110ANM Short

Auto Faucet ( Spout Only )  
Flow Rate : 2L/Min  
Required Parts : A & B  
Spout Opening  
Distance : Height : 96mm  
Length : 123mm




### DLE106ANM

Auto Faucet ( Spout Only )  
Flow Rate : 2L/Min  
Required Parts : A & B  
Spout Opening  
Distance : Height : 95mm  
Length : 126mm



### DLE127BEM

Integrated Auto Faucet  
Flow Rate : 2L/Min  
Spout Opening  
Distance : H89mm  
L125mm



DLE127BEM : Operated Electricity 220V

### A : OPTION

1. DLE124DH ( Self Power 2L )
2. DLE124DE ( AC 1.5L ) Electricity 220V
3. DLE124DK ( "DC" Battery 1.5L )



### B : DLE424SMA - SMA THERMO VALVE

This " Thermo Valve " suitable for below mentioned Auto Faucets



## Controller

You can choose from your preference

	Self Powered Controller Flow Rate: 2.4L / min		AC Operated Controller Flow Rate: 1.84L / min		AC Operated Controller Flow Rate: 2.5L / min	Battery Operated Controller Flow Rate: 2.5L / min
	TN78-9 V900 (Cold Water)	DLE124DH/ DLE424SMA (Thermostat)	TN78-9 V910 (Cold Water)	DLE124DE/ DLE424SMA (Thermostat)	TTLE101A2L (Cold Water)	TTLE101B2L (Cold Water)
	<b>A</b>		<b>B</b>		<b>C</b>	
DLE110AN	—	●	—	●	—	—
DLE110A1N	—	●	—	●	—	—
DLE110A2N	—	●	—	●	—	—

# TOUCHLESS FAUCET

## TLE24 series




Elegant curved design creating the impression of flowing water.



### TLE24001D




Desk Mounted ( Short )  
Touchless Faucet ( Spout Only )  
Flow Rate : 1.3L/Min  
Required Parts : A & B & C  
Spout Opening  
Distance : H146mm  
L138mm



### TLE24002D




Desk Mounted ( Semi Tall )  
Touchless Faucet ( Spout Only )  
Flow Rate : 1.3L/Min  
Required Parts : A & B & C  
Spout Opening  
Distance : H180mm  
L160mm



### TLE24003D




Desk Mounted ( Tall )  
Touchless Faucet ( Spout Only )  
Flow Rate : 1.3L/Min  
Required Parts : A & B & C  
Spout Opening  
Distance : H230mm  
L164mm



### TLE24005D



Wall Mounted  
Touchless Faucet ( Spout Only )  
Flow Rate : 1.3L/Min  
Required Parts : A & B & C  
Spout Opening  
Distance : H150mm  
L225mm



### A: OPTION

1. TLE03501H ( Eco Powered )
2. TLE01501H ( AC Operated )
3. DLE124DK ( Battery Operated )



### B: TLE 05701A ( Thermostat ) MADE IN JAPAN

This "Thermostat" must purchase all Touchless Faucets



### C: TLN 01103A ( Stop Valve Set )

Cartoon In Side :

2 Pcs - Stop Valve , 3 Pcs - Flexible Hose



# TOUCHLESS FAUCET

## GC series


### TLE21001D



Made in Japan



Deck Mounted  
Touchless Faucet ( Spout Only )  
Flow Rate : 2.0L/Min  
Required Parts : A & B & C  
Spout Opening  
Distance : H114mm  
L136mm




## TLE25 series



### TLE25001D




Deck Mounted  
Touchless Faucet ( Spout Only )  
Flow Rate : 2.0L/Min  
Required Parts : A & B & C  
Spout Opening  
Distance : H116mm  
L124mm



### TLE25005D

Wall Mounted  
Touchless Faucet ( Spout Only )  
Flow Rate : 2.0L/Min  
Required Parts : A & B & C  
Spout Opening  
Distance : H150mm  
L225mm



# TOUCHLESS FAUCET

## TLE26 series




reddot winner 2021



GREEN GOOD DESIGN AWARD 2021



### TLE26005D



Wall Mounted  
Touchless Faucet ( Spout Only )  
Flow Rate : 1.3L/Min  
Required Parts : A & B & C  
Spout Opening  
Distance : H150mm  
L225mm



## TLE27 series




DESIGN AWARD 2021



GREEN GOOD DESIGN AWARD 2021



### TLE27001D



Deck Mounted  
Touchless Faucet ( Spout Only )  
Flow Rate : 1.3L/Min  
Required Parts : A & B & C  
Spout Opening  
Distance : H128mm  
L110mm



## TLE28 series




DESIGN AWARD 2021



GREEN GOOD DESIGN AWARD 2021



### TLE28001D



Desk Mounted  
Touchless Faucet ( Spout Only )  
Flow Rate : 1.3L/Min  
Required Parts : A & B & C  
Spout Opening  
Distance : H230mm  
L164mm





Auto Function



Eco Power



Soft Flow




Eco Cap

reddot winner 2021  
best of the bestGOOD DESIGN  
GREEN GOOD DESIGN  
AWARD  
2021

TOUCHLESS FAUCET

Replete with advanced functions for everything from environmental friendliness to comfort  
مليء بالوظائف المتقدمة من الصداقة البيئية إلى الراحة



This **ECOPOWER** touchless faucet uses the flowing water to generate the electricity it needs to operate. There is no need for electrical wiring, making installation and renovation easier.

**ECOPOWER**: يستخدم الخلاط بدون لمس المياه المتدفقة لتوليد الكهرباء التي يحتاجها للتشغيل. وليست هناك حاجة للأسلاك الكهربائية مما يجعل التركيب والتجديد أسهل.



Bacteria & Viruses may be present on restroom fixtures used by large number of people. Touching the fixtures can transfer the bacteria or viruses to your hands. Our touchless faucets let you easily wash your hands without any need to touch the fixture.

قد توجد البكتيريا والفيروسات في تجهيزات الحمامات التي يستخدمها عدد كبير من الأشخاص. يمكن أن يؤدي لمس التركيبات إلى نقل البكتيريا أو الفيروسات إلى يديك. تتيح لك منتجاتنا من الخلاطات الحساسة غسل يديك دون الحاجة إلى لمس أصابعك للخلاط.

## AUTO FUNCTIONS وظائف تلقائية



Just placing your hand under the spout will start the water flow, and the water will stop when you take your hand away.

مجرد وضع يدك تحت فوهة الخلاط سيبدأ تدفق الماء وسيتوقف الماء عندما ترفع يدك بعيداً عنه.

## ECO POWER قوة اقتصادية



This sensor-activated **TOUCHLESS FAUCET** generates its own electricity. **ECOPOWER** technology requires no external power source, has no minimum daily usage requirement, and is capable of generating its own power at the ultra-low flow water volume is only 1.3L/min. **ECOPOWER** is environmentally sustainable.

عندما يبدأ عمل الخلاط بواسطة المستشعر الكهربائي والذي لا يتطلب أي مصدر طاقة خارجي وذلك بسبب تقنية **ECO POWER** فهي قادرة على توليد قوتها الخاصة بكمية قليلة من ضغط الماء 3.1 / دقيقة فقط.

## SOFT FLOW تدفق ناعم



Elegant streams of water from **SOFT FLOW** faucets gently touch skin. A premium calming experience. Soft and soothing. Sensor-operation eliminates the need for levers or buttons to touch, offering a new level of cleanliness for your health and wellbeing.

**SOFT FLOW**: تلامس تيارات المياه الهادئة للبشرة بلطف تجربة متميزة وهادئة. تعمل المستشعرات على التخلص من الحاجة إلى أزرار للمس. مما يوفر مستوى جديداً من النظافة لصحتك ورفاهيتك.

Applicable Model : TLE21 , TLE24

## ECO CAP



**ECO CAP** is an air-injection technology, which reduces water consumption. Aerating the water increases its volume, so you can wash your hands with full stream while using less water.

**ECO CAP** هي تقنية حقن الهواء. مما يقلل من استهلاك المياه. يؤدي تهوية الماء إلى زيادة حجمه. لذا يمكنك غسل يديك باستخدام كمية أقل من الماء.

Applicable Model : TLE27 , TLE28



# TOUCHLESS SOAP DISPENSER

## موزع صابون بدون لمس



**Functions and durability that prevents malfunction and trouble due to misuse or vandalism.**

**وظائف عديدة ومتانة تمنع حدوث الأعطال والمشاكل بسبب سوء الاستخدام أو التخريب.**

A wide variety of people utilize public spaces, from small children to adults, and misuse or vandalism can lead to malfunctions and other troubles. TOTO's automatic soap dispensers have functions and durability to minimize breakdowns and troubles, regardless of the circumstances.

تستخدم شركة واسعة من الناس الأماكن العامة بدءاً من الأطفال الصغار حتى البالغين ومن الممكن أن يؤدي سوء الاستخدام أو التخريب إلى أعطال ومشاكل. لذا تتميز الصبانات الأوتوماتيكية من TOTO بالوظائف العديدة والمتانة التي تقلل من الأعطال والمشاكل.



**A spot structure designed for strength difficult to break**

**هيكل موضعي مصمم بقوة يصعب كسره**

Assuming that strong forces might be applied to the spout tip, we inserted a pipe within the base for increased strength. Even if the spout is damaged, this prevents cracking and breaking at the base.

افتراضاً أنه قد يتم استخدام قوى قوية على طرف الصبانة. لذا قمنا بإدخال أنبوب داخل فوهة الصبانة لزيادة القوة. حتى ولو كانت الفوهة تالفة، فإن هذا يمنع التشقق والانكسار في القاعدة.




# LIQUID & FOAM SOAP DISPENSER



## DSE101EP Short

Automatic Soap Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 0.8ml - 1.2ml  
Tank Capacity : 1500ml  
Soap Type : Liquid  
41W X 131D X 114H mm




Another Model Available :  
DSE101KP : Battery Operated




## TLK07001G Short

Automatic Foam Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 1.2ml  
Tank Capacity : 3L  
Soap Type : Foam  
40W X 140D X 77H mm



## DSE102EP Semi Tall

Automatic Soap Dispenser  
AC : 100 - 240V Operated  
Adapter Plug : Type "BF"  
Soap Volume : 0.8ml - 1.2ml  
Tank Capacity : 1500 ml  
Soap Type : Liquid  
36W X 131D X 157H mm




## TLK07002G Tall

Automatic Foam Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 1.2ml  
Tank Capacity : 3L  
Soap Type : Foam  
40W X 140D X 180H mm




## DSE103EP Tall

Automatic Soap Dispenser  
AC : 100 - 240V Operated  
Adapter Plug : Type "BF"  
Soap Volume : 0.8ml - 1.2ml  
Tank Capacity : 1500 ml  
Soap Type : Liquid  
36W X 131D X 242H mm




## TLK08001G Short

Automatic Foam Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 1.2ml  
Tank Capacity : 3L  
Soap Type : Foam  
38W X 140D X 83H mm




## TX728AEV1Z

Deck Type Soap Dispenser  
Dispenser - ( Bottom Refil )  
Soap Type : Liquid  
66W X 105D X 347H mm




## TLK08002G Tall

Automatic Foam Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 1.2ml  
Tank Capacity : 3L  
Soap Type : Foam  
38W X 140D X 186H mm




## DS715R

Deck Type Soap Dispenser  
Dispenser - ( Bottom Refil )  
Soap Type : Liquid  
70W X 105D X 294H mm



## TLK09001G

Automatic Foam Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 1.2ml  
Tank Capacity : 1L  
Soap Type : Foam  
48W X 134D X 130H mm



### Matching Tank Unit

Spout	1L Tank for 1 Spout		3L Tank for 1 Spout	
	TLK01104A Type BF Adapter Plug	TLK01104T Type C Adapter Plug	TLK01101A Type BF Adapter Plug	TLK01101T Type C Adapter Plug
TLK07001G	●	●	●	●
TLK07002G	●	●	●	●
TLK08001G	●	●	●	●
TLK08002G	●	●	●	●
TLK09001G	●	●	●	●



# Touchless Soap Dispenser



# FAUCET



**GO** series



**GC** series



**GS** series



**GR** series



**GA** series

# GT series



reddot winner 2022



POLISHED CHROME



MATT BLACK  
# MBL




BRUSHED FRENCH GOLD  
# BFG

**NEW**

# GT - SERIES


## TLG13302D

Single Lever Lavatory Faucet  
w/o Pop-up Waste




## TLG13304D

Single Lever Lavatory Faucet  
for Semi-tall Vessel w/o Pop-up Waste




## TLG13306D

Single Lever Lavatory Faucet  
for Tall Vessel w/o Pop-up Waste




## TBG13302D

Single Lever  
(Bath & Shower Mixer)




## TBG13301D

Single Lever  
(Shower Mixer)




## TLG13308D

Wall Mounted Single Lavatory Faucet  
(Long) (w/o Waste Fitting)




## TLG13201D

Wide Spread Faucet  
Two Handle Lavatory Faucet




## TBG13303D

Concealed Shower Mixer (With Panel )  
\* Need TBN01001D



## TBG13304D

Concealed Shower Mixer (With Panel )  
\* Need TBN01001D



# GA series



reddot award 2018  
winner



reddot winner 2022  
Matte Black



POLISHED CHROME



MATT BLACK  
# MBL



BRUSHED NICKEL  
# BN



POLISHED FRENCH GOLD  
# PFG



BRUSHED FRENCH GOLD  
# BFG

## GA - SERIES

### TLG04301DA

Single Lever Lavatory Faucet  
with Pop-up Waste



### TLG04304DA

Single Lever Lavatory Faucet  
for Semi-tall Vessel with Pop-up Waste



### TLG04307DA

Single Lever Lavatory Faucet  
for Tall Vessel with Pop-up Waste



### TBG04302D

Single Lever  
Bath & Shower Mixer




### TBG04301B

Single Lever  
Shower Mixer




### TRG04301D

Bidet Faucet




### TLG04309D

Wall Mounted Single Lavatory Faucet  
(Short) (w/o Waste Fitting)



### TLG04310DA

Wall Mounted Single Lavatory Faucet  
(Long) (w/o Waste Fitting)




### TLG04201D

Wide Spread Faucet  
Two Handle Lavatory Faucet




### TBG04303B

Concealed Shower Mixer (With Panel )  
\* Need TBN01001D



### TBG04304BB

Concealed Shower Mixer (With Panel )  
\* Need TBN01001D



### TBG02001D

Bath Spout




# GC series



reddot award 2019  
winner



POLISHED CHROME



MATT BLACK  
# MBL



BRUSHED NICKEL  
# BN



POLISHED FRENCH GOLD  
# PFG




BRUSHED FRENCH GOLD  
# BFG

# GC - SERIES


## TLG08301D

Single Lever Lavatory Faucet with Pop-up Waste




## TLG08303D

Single Lever Lavatory Faucet for Semi-tall Vessel with Pop-up Waste




## TLG08305D

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste




## TBG08302B

Exposed Single Lever Bath & Shower Mixer




## TBG08301B

Exposed Single Lever Shower Mixer




## TRG08301D

Bidet Faucet w/ pop-up waste




## TLG08307D

Wall Mounted Single Lever Lavatory Faucet w/o Pop-Up Waste ( Short )




## TLG08308D

Wall Mounted Single Lever Lavatory Faucet w/o Pop-Up Waste ( Long )




## TLG08201D

2 Handle Lavatory Faucet (3-Holes) w/ Pop-Up Waste




## TBG08303B

Concealed Shower Mixer (With Panel )  
\*Need TBN01001D




## TBG08304B

Concealed Shower Mixer (With Panel )  
\*Need TBN01001D



## TBG08001B

Bath Spout



# GO series



reddot award 2017  
best of the best



POLISHED CHROME



MATT BLACK  
# MBL



BRUSHED NICKEL  
# BN



POLISHED FRENCH GOLD  
# PFG



BRUSHED FRENCH GOLD  
# BFG

# GO - SERIES

## TLG01301D

Single Lever Lavatory Faucet  
w/ Pop-up Waste



## TLG01304D

Single Lever Lavatory Faucet  
for Semi-tall Vessel w/ Pop-up Waste



## TLG01307D

Single Lever Lavatory Faucet  
for Tall Vessel w/ Pop-up Waste



## TBG01302D

Single Lever  
Bath & Shower Mixer



## TBG01301B

Single Lever  
Shower Mixer



## TRG01301D

Bidet Faucet with Popup




## TLG01310D

Wall Mounted Single Lavatory Faucet  
(Short) (w/o Waste Fitting)



## TLG01311D

Wall Mounted Single Lavatory Faucet  
(Long) (w/o Waste Fitting)




## TLG01201D

Wide Spread Faucet - Two Handle Lavatory  
Faucet




## TBG01303B

Concealed Shower Mixer with Diverter  
**\*Need TBN01001D**




## TBG01304B

Concealed Bath & Shower Mixer with Diverter  
**\*Need TBN01001D**



## TBG01001D

Bath Spout



# GR series



reddot award 2017  
best of the best



POLISHED CHROME



MATT BLACK  
# MBL



BRUSHED NICKEL  
# BN



POLISHED FRENCH GOLD  
# PFG




BRUSHED FRENCH GOLD  
# BFG

# GR - SERIES


## TLG02301DA

Single lever Lavatory Faucet  
W/ Pop-Up Waste



## TLG02304DA

Single lever Lavatory Faucet  
for Semi-tall Vessel W/ Pop-Up Waste




## TLG02307DA

Single lever Lavatory Faucet  
for Tall Vessel W/ Pop-Up Waste



## TBG02302D

Single lever  
Bath Shower Mixer




## TBG02301B

Single lever  
Shower Mixer




## TRG02301D

Single lever Bidet Faucet  
W/ Pop-Up Waste




## TLG02310D

Wall Mounted Lavatory Faucet  
( Short Spout )




## TLG02311DA

Wall Mounted Lavatory Faucet  
( Long Spout )




## TLG02309D

Single lever Lavatory Faucet  
W/ Pop-Up Waste ( Side Handle )




## TBG02303B

Single Lever Shower Mixer  
\*Need TBN01001D




## TBG02304BB

Single Lever Bath & Shower Mixer  
W/ Diverter \*Need TBN01001D



## TBG02001D

Bath Spout



# GS series



reddot award 2018  
winner



reddot winner 2022  
Matte Black



POLISHED CHROME



MATT BLACK  
# MBL



BRUSHED NICKEL  
# BN



POLISHED FRENCH GOLD  
# PFG



BRUSHED FRENCH GOLD  
# BFG

# GS - SERIES


## TLG03301D

Single lever Lavatory Faucet  
W/ Pop-Up Waste




## TLG03303D

Single lever Lavatory Faucet  
for Semi-tall Vessel W/ Pop-Up Waste



## TLG03305D

Single lever Lavatory Faucet  
for Tall Vessel W/ Pop-Up Waste



## TBG03302D

Single lever  
Bath & Shower Mixer



## TBG03301B

Single lever  
Shower Mixer



## TRG03301D

Single lever Bidet Faucet  
W/ Pop-Up Waste



## TLG03307D

Wall Mounted Lavatory Faucet  
( Short Spout )




## TLG03308D

Wall Mounted Single Lavatory Faucet (Long)  
- 24.5cm




## TBG01001D

Bath Spout




## TBG03304B

Single Lever Bath & Shower Mixer  
W/ Diverter \*Need TBN01001D



## TBG03303B

Single Lever Shower Mixer  
\*Need TBN01001D




# LC series



# LC - SERIES


## TLS03301D

Single Lavatory Faucet With Pop UP




## TLS03303D

Single Lever Washbasin Faucet (Semi-tall Vessel) With Pop-Up



## TLS03305D

Single Lever Washbasin Faucet (Tall Vessel) With Pop-Up



## TBS03302D

Exposed Mixing Faucet (Bath Mixer)




## TBS03301B

Exposed Mixing Faucet Shower



## TRS03301D

Single lever Bidet Faucet With Pop Up



## TLS03307D

Wall Mounted Single Lavatory Faucet (Short) (w/o Waste Fitting)




## TLS03308D

Wall Mounted Single Lavatory Faucet (Long)




## TBS03001D

Bath Spout




## TBS03303B

Concealed Shower Mixer (with valve)



## TBS03304B

Exposed Mixing Faucet (Shower Mixer)




# LN series



# LN - SERIES


## TLS02301D

Single Lever Lavatory Faucet  
w/ Pop-up Waste



## TLS02303D

Single Lever Lavatory Faucet  
for Semi-tall Vessel w/ Pop-up Waste



## TLS02305D

Single Lever Lavatory Faucet  
for Tall Vessel w/ Pop-up Waste



## TBS02302D

Single Lever Bath & Shower Mixer




## TBS02301B

Single Lever Shower Mixer



## TRS02301D

Single lever Bidet Faucet.



## TLS02307D

Wall Mounted Single Lavatory Faucet  
(Short) (w/o Waste Fitting)




## TLS02308D

Wall Mounted Single Lavatory Faucet  
(Long) (w/o Waste Fitting)



## TLS02201D

Wide Spread Faucet - Two Handle Lavatory Faucet




## TBS02303B

Concealed Shower Mixer (with Valve)



## TBS02304B

Concealed Shower Mixer (with Valve)



## TBS02001D

Bath Spout



# LF series



# LF - SERIES


## TLS04301D

Single Lever Lavatory Faucet  
w/ Pop-up Waste




## TLS04304D

Single Lever Lavatory Faucet  
for Semi-tall Vessel w/ Pop-up Waste



## TLS04307D

Single Lever Lavatory Faucet  
for Tall Vessel w/ Pop-up Waste



## TBS04302D

Single Lever  
Bath & Shower Mixer




## TBS04301

Single Lever  
Shower Mixer



## TRS04301D

Bidet Faucet



## TLS04308D

Wall Mounted Single Lavatory Faucet  
(Short) (w/o Waste Fitting)




## TLS04309D

Wall Mounted Single Lavatory Faucet  
(Long) (w/o Waste Fitting)




## TBS03001D

Bath Spout



## TBS04303

Concealed Shower Mixer (with Valve)



## TBS04304B

Concealed Bath & Shower Mixer with  
Diverter (with Valve)



Matte Black  red dot winner 2022

Stunning beauty and remarkable hardness from **PVD**



## What is MATT BLACK

## ماهو الأسود المظفي


This stunning Matte Black finish adds sophistication and depth to our elegant faucet designs. Its silky sheen and delicate color gradation create a sense of luxury like no other.

Our "shot-blast processing" forms a chrome plating by physical vapor deposition (PVD) on faucet fixture surface irregularities. The result is a gorgeous Matte Black finish with a lustrous sheen and fine colour nuances.

### PVD finished surfaces are harder than coated surfaces

Compared to coated products, PVD products are less prone to peeling or scratches that would reveal the base material on the surface.

### Pencil testing for surface hardness



### Coated Surface

The conventional painted surface shows visible scratch marks when Use different hardness pencils.

● السطح المطلي:  
يُظهر السطح المطلي التقليدي علامات خدش واضحة عند استخدام أقلام صلابة مختلفة.

### PVD Surface

The matte black PVD surface does not scratch even with Use a high hardness pen.

● سطح PVD:  
سطح PVD الأسود المظفي لا يتعرض للخدش حتى مع استخدام قلم ذو صلابة عالية.

### PVD Matte Black finish won't be scratched even with a hard pencil


طلاء PVD باللون الأسود غير اللماع لن يتعرض للخدش حتى باستخدام قلم رصاص صلب.


### Test conditions:

Pencil testing (conformant with JIS K5600 5.4, ISO 15184, ASME D3363, JIS K5600-5-4, ISO 15184 and GB T6739) was performed on the coating/PVD in our test site. تم إجراء اختبارات القلم وفقاً للمعايير: JIS K5600-5-4, ISO 15184, ASME D3336, GB/T6739, في مواقع اختبار الطلاء/تقنية PVD.

### Manufacturing process :

### عملية التصنيع :





 **MINI UNIT**



**1 OUTLET**



**2 OUTLET**



**3 OUTLET**

# CONCEALED THERMOSTAT

1 OUT LET	<p><b>TBV01407B</b> Concealed Thermostat and Volume Control Valve(Standard Type)*</p> <p>*Need TBN01001</p>	<p><b>TBV02405B</b> Concealed Thermostat and Push Button Shut Off Valve (Contemporary Type)*</p> <p>*Need TBN01001</p>	<p><b>TBV02403B</b> Concealed Thermostat and Volume Control Valve (Contemporary Type)*</p> <p>*Need TBN01001</p>
	<p><b>TBV01408B</b> Concealed Thermostat and Diverter Valve with Shut Off (Standard Type)*</p> <p>*Need TBN01001</p>	<p><b>TBV02406B</b> Concealed Thermostat and Push Button Shut Off Valve (Contemporary Type)*</p> <p>*Need TBN01001</p>	<p><b>TBV02404B</b> Concealed Thermostat and Diverter Valve with Shut Off (Contemporary Type)*</p> <p>*Need TBN01001</p>
	<p><b>TBV01406B</b> Concealed Thermostat Valve (Standard Type)</p> <p>*Need TBN01001</p> <p><b>TBV01102B</b> 3 Way Diverter for Thermostat 3 Outlet</p> <p>*Need TBN01101</p>	<p><b>TBV02401B</b> Concealed Thermostat Valve (Contemporary Type)</p> <p>*Need TBN01001</p> <p><b>TBV02102B</b> 3 Way Diverter for Thermostat 3 Outlet</p> <p>*Need TBN01101</p>	<p><b>TBV02402B</b> Concealed Thermostat Valve (Contemporary Type)</p> <p>*Need TBN01001</p> <p><b>TBV02105B</b> 3 Way Diverter for Thermostat 3 Outlet Use Switch Type *1</p> <p>*Need TBN01001</p>



**TBN01001B**

Mini Unit



**TBN01101B**

Valve Unit for 3 Way Diverter w/On/Off Valve



# SHOWER



## HEAD SHOWER



### Control the water's flow interior. التحكم في تدفق المياه.

Utilizing a unique interior structure, باستخدام هيكل داخلي فريد. يتم التحكم في تدفق المياه لتوفير استحمام أكثر سلاسة. the flow of water is controlled to provide a smoother shower.

### A brand new shower system. Water like a warm cloak.

The feeling of a warm bath, in a shower. This is the power of WARM SPA. A single pillar of warm water running quietly from the showerhead. When water hits the body, it follows the curves and envelops it without a splash. A completely new shower experience, warming your body efficiently.

### نظام دش جديد . تغطية فعالة من الماء دافئ؛

- الشعور بالحمام الدافئ أثناء الاستحمام. هذه هي قوة WARM SPA .  
- عمود واحد من الماء الدافئ يجري بهدوء من طاسة الدش. وعندما يلامس الماء الجسم و يتبع منحنيات الجسم ويغلفه دون تناثر. و هي تجربة استحمام جديدة تمامًا . تدفئ جسمك بشكل فعال.

### That Quality : Only TOTO

### TOTO: الجودة



تصور الصورة كيف ترتفع درجة حرارة الجسم. تظهر المنطقة الحمراء الأجزاء الدافئة من الجسم. بالمقارنة مع طاسات الدش التقليدية . من الواضح أن WARM SPA يسخن الجسم بشكل أكثر كفاءة.




### Choose your ideal showering experience at the touch of a switch.

For the hand shower we installed a switch right at your fingertip. In hand shower you can change easily between WARM SPA / COMFORT WAVE / ACTIVE WAVE. Feel free to enjoy the perfect shower for your mood.

### اختر تجربة الاستحمام المثالية الخاصة بك بلمسة مفتاح.

بالنسبة للاستحمام اليدوي . قمنا بتنصيب مفتاح في متناول يدك. يمكنك التبديل بسهولة بين WARM SPA / COMFORT WAVE / ACTIVE WAVE. لا تتردد في الاستمتاع باستحمام مثالي لمزاجك.



### Create a pleasant shower experience that is safe for everyone.

TOTO uses a unique structure developed through continuous research to prevent the various risks associated with taking a shower.



### اصنع تجربة استحمام ممتعة وأمنة للجميع.

تستخدم TOTO بنية فريدة من نوعها صنعت من خلال البحث المستمر لمنع مختلف المخاطر المرتبطة بالاستحمام.

# SHOWER

## TBW01003D

Wall-Mount Shower Head \*3  
(1 Modes)



\*3 Fall Prevention Feature

## TBW01004D


Wall-Mount Shower Head \*3  
(2 Modes)



\*3 Fall Prevention Feature

## TBW01003D1

Ceiling Mount Shower Head  
Diameter : 220mm



## TBW02003D

Wall-Mount Over Head Shower \*3  
(1 Modes)



\*3 Fall Prevention Feature

## TBW02004D

Wall-Mount Shower Head \*3  
(2 Modes) \*3 Fall Prevention Feature




## TBW02003D1

Ceiling Mount Shower Head  
Diameter 210x210mm




## TX491SNK

Ceiling Mount Shower Head  
(L= 200 mm, Ø= 250 mm) (Wall Type)  
(L= 400 mm, Ø= 250 mm) (Wall Type)



## TX488SZ

Fixed Shower Head W/Pipe  
(L= 400 mm, Ø= 250 mm) (Wall Type)



## TBW01013D

Fixed Shower Head (Wall Type)  
(Multi mode)

\*3 Fall Prevention Feature


Another Model :

TBW01012D ( 1 Mode )



## TBW08002D

Over Head Shower - (Wall Type)  
( 1 Modes )




MATT BALCK  
#MBL

POLISHED FRENCH GOLD  
#PFG

BRUSHED FRENCH GOLD  
#BFG

## TBW08003D

Over Head Shower - (Wall Type)  
( 1 Modes )



BRUSHED FRENCH GOLD  
#BFG

## TBW02001A

Shower Column  
w/ Shower Head (Square)  
w/ 2 Mode Fixed




# SHOWER

## TBW01008D

Wall-Hung Hand Shower  
( 1 Modes )

MATT BALCK # MBL




## TBW01010D

Wall-Hung Hand Shower \*4  
( 3 Modes )



## TBW02005D

Wall-Hung Hand Shower \*4  
( 1 Modes )



\*4 Safety Design Resin Hanger

## THX118SRR


Wall-Hung Hand Shower \*4  
( 3 Modes )



\*4 Safety Design Resin Hanger

## TBW01018B

Hand Shower Set  
(w/ Hand Shower, Hose & Holder)  
( 5 Modes )




## TBW07009D

Hand Shower  
( 3 Modes )



## THX118SRR

Hand Shower  
( 3 Modes )



## TBW02017D

Hand Shower  
( 1 mode )

MATT BALCK # MBL

POLISHED FRENCH GOLD # PFG

BRUSHED FRENCH GOLD # BFG

BRUSHED FRENCH GOLD # BFG


BRUSHED FRENCH GOLD # BFG

BRUSHED FRENCH GOLD # BFG

BRUSHED FRENCH GOLD # BFG

BRUSHED FRENCH GOLD # BFG

BRUSHED FRENCH GOLD # BFG



ACTIVE WAVE


INTENSE WAVE

INTENSE WAVE+




# SHOWER

Stimulating to body and mind.  
Awakening to the senses.



## HAND SHOWER



## BODY SHOWER



## BODY SHOWER


### TBW07017D

Body Shower  
(2 mode)



### TBW08008D


Gyrostream Body Shower  
(1 mode)



# WALL OUTLET


## TBW07020A

Wall Outlet  
w/o Shower Hanger




## TX472SESMV1

Wall Outlet




## TBW01014T

Wall Outlet




## TBW008009A

Wall Outlet  
w/o Shower Hanger




## TX472SIVI

Wall Outlet



## TBW02013B


Wall Outlet



# SHOWER SLIDING BAR

## TBW01016B


Sliding Rail \*4  
Durable Quality



\*4 Safety Design Resin Hanger

## TBW02012B


Sliding Rail \*4



\*4 Safety Design Resin Hanger

## TBW07019A


Sliding Rail \*4  
Durable Quality



\*4 Safety Design Resin Hanger

## DS740R

Sliding Rail \*4  
Durable Quality



\*4 Safety Design Resin Hanger


## L" SELECTION ACCESSORIES - ROUND

**YS406N5C**




**YRH406C**

Robe Hook  
Size :  
40 X 55D mm



**YH406RC**

Paper Holder  
Size :  
165W X 55D X 83H mm




**YTT406C**

Towel Ring  
Size :  
145 X 55D mm



**YTS406BC**

Towel Shelf  
Size :  
560W X 200D X 90H mm



**YT406S6RC - YT406S4RC**




## L" SELECTION ACCESSORIES - SQUARE

**YS408N5C**




**YRH408C**

Robe Hook  
Size :  
40 X 55D mm




**YH408RC**

Paper Holder  
Size :  
165W X 55D X 83H mm




**YTT408C**

Towel Ring  
Size :  
229W X 55D X 99H mm




**YTS408BC**

Towel Shelf  
Size :  
560W X 200D X 90H mm




**YT408S6RC - YT408S4 RC**



# ACCESSORIES


## YRH902C

Robe Hook





## YH902C

Paper Holder




## YTT902C

Towel Ring




## YTS903BC

Towel shelf with Rail  
Size :  
628W X 201D X 100Hmm



## YT902S6C


Towel Bar  
Size :  
628W X 44D X 25Hmm



# DISABLED TOILET AREA -(MULTIPURPOSE HANDRAIL- S.S) ♿

## T113B6 V1

GRAB BAR  
90W X 600D X 86H mm




Another Model :

## T113B8

GRAB BAR  
90W X 800D X 86H mm


## T113HK7 V1

GRAB BAR  
160W X 700D X 262H mm




## T113BL9 V1

GRAB BAR  
700W X 700D X 90H mm



## T113BU2 V1


HAND RAIL FOR URINAL  
600W X 550D X 480H mm



# PAPER HOLDER


## DS713U # S.S

Product Name : Small embedded Stainless Steel Paper Holder & Tissue Dispenser + Bin  
 Material : SUS304  
 Size : 350W X 150D X 1200H mm




## DS712U # S.S

Product Name : Small embedded Stainless Steel Paper Holder & Tissue Dispenser + Bin  
 Material : SUS304  
 Size : 340W X 140D X 750H mm




## YKT300MN

Product Name : Paper Towel Holder  
 Material : Steel  
 Size : 300W X 116D X 265H mm




## YH63GWS

Product Name : Roll Holder  
 Material : Glass & Brass  
 Size : 360W X 120D X 113H mm



## DSP70W


Product Name : Paper Holder  
 Material : Brass  
 Size : 285W X 79D X 46H mm



# HAND DRYER


## TYC423WC

Product name : Clean Dry High Speed Hand Dryer without Heater (Double-side)  
 Power : 230v  
 Weight : 7.4 kg  
 Material : PP Plastic  
 Size : 300W X 186D X 550H mm



## TYC322M


Product name : High Speed Hand Dryer  
 Air Heater : On / Off  
 Drying Time : 5 - 9 Sec  
 Power : AC 220 - 240V  
 Weight : 3kg  
 Material : Aluminium  
 Size : 245W X 134D X 226H mm



# SHOWER SPRAY


## THX20MMDV

Luxury Metal 2 Mode  
Shower Spray (Bubble & Spray)




## THX20MCRB - SA

Shower Spray  
( Chrome )




## TX403SECR - SA

Shower Spray With  
Safety Valve - ( Chrome )




## THX20NB#N5

Shower Spray  
( Black )




## THX20SECR

Shower Spray  
( Chrome )



## THX20NB#W

Shower Spray  
( White )



# STOP VALVE


## TX 277SV1

Stop Valve  
Size : 1/2 "



## HAP004A


Stop Valve With Heavy Duty Flexible Hose  
Size : 1/2 "



# WASTE FITTINGS


## THX1B1N

P-TRAP for Bidet - ( 288mm )




## THX1A-3N


P-TRAP for Lavatory for 1 1/4" Pop-up waste Lavatory Faucet (262mm)



## DL501SR S-TRAP




## DL501P2S P-TRAP



## T6JV6


Pop up Waste For Basin



# Squatting Toilet

## CW10J#W


Squatting Toilet  
430W X 535D X 310H mm



# FLOOR DRAIN


## TX1DB

Floor Drain W/ Square Flange (for 2" G.I. Pipe) (115 X 115 mm)



## TX1DBV1

Floor Drain W/ Square Flange (for 2" G.I. Pipe) (115 X 115 mm)




## TX1DA

Floor Drain (for 2" G.I. Pipe) (Ø= 100.5 mm)




## TX1DAV1

Floor Drain (for 2" G.I. Pipe) (Ø= 100.5 mm)



## TX1CV2

Floor Drain With Mosquito Trap (131 X 131 mm)








# BATHTUBS



# BATH TUB

PJYD2200PWE#GW

Product Name : FLOTATION TUB WITH ZERO DIMENSION  
Capacity : 293L  
Size : 1050W x 2200D x 780H mm



## FEATURES :


1. ZERO DIMENSION gives you comfort, calm and indulgence in a moment of relaxation meditation.
2. Dynamic hydromassage randomly flowing around the target muscles encouraging a deep feeling of relaxation.
3. Variable cushion positions ensure stability and comfort.
4. AIR-JET, volatile streams of air bubbles envelop the body in a soothing sensation.
5. LED lighting creates a dream-like atmosphere in the outdoor surroundings of the aquarium base.

## المميزات :

1. تمنحك ميزة ZERO DIMENSION الشعور بالراحة والهدوء والانغماس في لحظة التأمل من الاسترخاء .
2. تدليك مائي ديناميكي يتدفق بشكل عشوائي حول العضلات المستهدفة مما يشجع على الشعور العميق بالاسترخاء
3. أوضاع وسادة متغيرة تضمن الاستقرار والراحة
4. AIR-JET تيارات متقلبة من فقاعات الهواء التي تغلف الجسم بإحساس مهدئ
5. توفر إضاءة LED أجواء تشبه الحلم في المحيط الخارجي لقاعدة الحوض



## ZERO DIMENSION



### The posture of an astronaut resting in space

ZERO DIMENSION bathing brings freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.

### The brain in a state of tranquility

Research has shown that the ZERO DIMENSION bathing posture reduces activity in the part of the brain that houses the language function. This is the reason ZERO DIMENSION bathing feels calming and relaxing.

### السباحة في الفضاء


الاستحمام مع خاصية ZERO DIMENSION يشعرك بانعدام الجاذبية و التخلص من الضغط على المفاصل والتشنج على الاسترخاء .

### العقل في حالة هدوء

أظهرت الأبحاث أن وضعية الاستحمام ذات البعد صفر تقلل من النشاط في جزء من الدماغ الذي يضم وظيفة الاشارات هذا هو السبب في أن الاستحمام بتقنية ZERO DIMENSION يشعرك بالهدوء والاسترخاء.



## RECLINE COMFORT



### Nestled in comfort feel your body and mind release into a state of tranquility :

The weight of the head releases into the headrest the body receives the sensation of a comforting embrace. The natural S-curve of the spine is maintained all along the neck and down the back, encouraging deep release. This position provides a deep sensation of ease and tranquility. It is a bathing experience that brings relaxation beyond expectations.

### الراحة : يجعل جسدك وعقلك في حالة من الهدوء

ينتشر وزن الرأس في مسند الرأس ويستعيد الجسم الإحساس باحتضان مريح . ويتم الحفاظ على الانحناء الطبيعي للعمود الفقري على طول العنق وأسفل الظهر . مما يشجع على إطلاق عميق . ويوفر هذا الوضع إحساساً عميقاً بالراحة . والهدوء . إنها تجربة الاستحمام التي تجلب الاسترخاء إلى ما هو أبعد من التوقعات.

# BATH TUB

[PJYD2200PWE#GW](#)

Exclusive features that make every bathing experience a luxurious occasion.

مميزات حصريّة تجعل كل حمام مناسبة فاخرة.



## NECK BATH

With variable pillow positions ensuring stability, people of all body shapes can enjoy the warmth of the bath from above the shoulders to the neck.

## وسادة المغطس

مع أوضاع الوسائد المتغيرة التي تضمن الاستقرار، يمكن للأشخاص بمختلف الأحجام الاستمتاع بدفء الحمام من فوق الكتفين إلى الرقبة.



## AIR-JET

Fluctuating streams of air bubbles rise from below and envelop the body with a soothing sensation.

## فقاعات الهواء

تتصاعد تيارات متقلبة من فقاعات الهواء من الأسفل وتغلف الجسم بإحساس هاديء.



## LED LIGHTING

In the outer perimeter of the tub's base, LED LIGHTING supplies a dream-like ambience.

## الانارة LED

في المحيط الخارجي لقاعدة الحوض، توفر إضاءة LED أجواء تشبه الحلم.



## HYDRO HANDS

Deeply stimulating water massage gives the feeling of real hands kneading tired muscles.



## تدليك مائي

تدليك مائي محفز وعميق يمنحك شعوراً وكأن أيدي حقيقية تضغط على العضلات المتعبة.




## CONTROLLER

The electrostatic CONTROLLER is operated by the slightest touch.

## التحكم

يتم تشغيل وحدة التحكم بأدنى لمسة.



## GALALATO MATERIAL

Offering outstanding durability, the tub is made of GALALATO artificial marble and constructed using TOTO's innovative sandwich configuration.


## المواد المستخدمة

المواد المستخدمة توفر متانة رائعة حيث أن الحوض مصنوع من رخام GALALATO المكون من عدة طبقات.

# BATH TUB


## PJY1724WHPWE#GW

Product Name : GALALATO Freestanding Bathtub (w/o Hand Grip)  
 Capacity : 209L  
 Material : Reinforced Marble  
 Size : W:1700 X D:800 X H:565 mm  
 Pop-up Waste : Included




## PJY1734HPWE#GW

Product Name : GALALATO Freestanding Bathtub (w/o Hand Grip)  
 Capacity : 229L  
 Material : Reinforced Marble  
 Size : W:1700W X D:855 X H:640 mm



## PJY1744WHPWE#GW


Product Name : GALALATO Freestanding Bathtub (w/ Hand Grip - Silver)  
 Capacity : 229L  
 Material : Reinforced Marble  
 Size : W:1695 X D:835 X H:565 (mm)  
 Pop-up Waste : Included



# BATH TUB


## FBYN1816CHPTE#W

- Product Name : Enameled Cast Iron Free Standing Bathtub (w/ Hand Grip)  
 Capacity : 210L  
 Material : Enameled Cast Iron  
 Size : W:1800 X D:800 X H:537 (mm)  
 Pop-up Waste : Included (Metal Waste Fitting)



## FBYN1816DHPTE#W


- Product Name : Enameled Cast Iron Apron Bathtub (w/ Hand Grip)  
 Capacity : 210L  
 Material : Enameled Cast Iron  
 Size : W:1800 x D:800 x H:537 mm  
 Pop-up Waste : Included (Metal Waste Fitting)



# FLOOR STANDING BATH & SHOWER SET


## TBG02306DA + TBN01105B

- Series Name : GR series  
 Item Name : Floor Standing Bathub Faucet  
 Material : Brass  
 Finish : Chrome



## TBG11306DA + TBN01105B


- Series Name : GO series  
 Item Name : Floor Standing Bathub Faucet  
 Material : Brass  
 Finish : Chrome



# SPARE PARTS


## THX919

Slip-In Connector for S-Trap Toilet




## THX918

Slip-In Connector for S-Trap Toilet




## THX917

Slip-Connector for S-Trap Toilet




## TCP16

Matching with Water Closet Model : C636




## T53P100

Wall Flange With Seal Gasket




## T53WR100

Matching with Water Closet Model's : CW992 - CW989




## T64BW

Wall Flange With Seal Gasket




## TX215C

Slip-In Connector



## TL510ER

Brackets & Screws




Matching With Lavatory Model :  
LW286

## TL220D

Hangers & Screws


Matching With  
Lavatory Model :  
LW103



## TSP0225W

Bracket & Screws

Matching With  
Lavatory Model :  
LW651 | LW569  
LW587 | LW549  
LW595 | LW540



# RECOMMEND



NEOREST - AH



CS 989VT / TCF9788WZ

FREE STANDING  
BATH TUB



PJY1744HPWE

CONSOLE LAVATORY



L1716

FLOOR STANDING BATH &  
SHOWER SET



TBG02306A / TBN01105B

LAVATORY FAUCET



TLG02307B

SHOWER



TBV02406B / TBN01001B

ACCESSORIES



YH63SDT1



TBW02004BA



YRH903C



TBW02006A



YT903S6C

# RECOMMEND



NEOREST - NX



CS 901KVT

FLOTATION TUB



PJYD2200PWE

CONSOLE LAVATORY



LW4724E

FLOOR STANDING BATH & SHOWER SET



TBP01301A / TBN01105B

AUTO FAUCET



TLP01701J / TLP01702S

SHOWER



TBW01005B / TBN01002B

ACCESSORIES



YT902S6C



TBW02017A



YH902C



TBV02105B / TBN01001B



TBV02402B / TBN01001B

# RECOMMEND



NEOREST - NH I



CW992VA / TCF992WA

NEOREST - LE II



CW996P / TCF996WA

CONSOLE LAVATORY



LW3716HY



LW4716RE

LAVATORY FAUCET



TLP02304B

FREE STANDING BATH TUB



PJV1886HPWMNE

SHOWER



TBW01005B/TBN01002B

FLOOR STANDING BATH & SHOWER SET



TBP02303B1/ TBN01001B



TBW02017B

ACCESSORIES



TBV02105B / TBN01001B



YH903S6C



TBV02402B / TBN01001B



YH903C

# RECOMMEND



NEOREST - WX



CW927PZT / TCF95380GAA



FLOTATION TUB



PJYD2200PWE



PAPER HOLDER



YH63SDT1 / YH63SDV1BN

FLOOR STANDING BATH & SHOWER SET



TBP01301A / TBN01105B

CONSOLE LAVATORY



GOLD AWARD 2017 LW4724E

AUTO FAUCET



TLP01701J / TLP01702S



# CERTIFICATE OF REGISTRATION



*This is to certify that Quality Management System of*

## **ABDULRAHMAN & ABDULKAREEM ALOMRAN TRADING COMPANY**

4362 Al Imam Muslim - Al Marwah 14722 Riyadh Kingdom of Saudi Arabia

is in accordance with the requirements of the following standard

# **ISO 9001:2015**

(Quality Management System)

### **SCOPE**

**Trading of sanitary ware, Ceramics and Porcelain**

**(IAF Code: 29)**

Certificate Number : 130824019605

*To verify certificate, visit at*  
[www.uafaccreditation.org](http://www.uafaccreditation.org)  
[www.iafcertsearch.org](http://www.iafcertsearch.org)

Initial Registration Date : **13-Aug-2024**

1st Surveillance Date: **13-Jul-2025**

2nd Surveillance Date: **13-Jul-2026**

Certificate Expiry Date : **12-Aug-2027**

Accreditation No. : 51901390123

Issued by ARS

**Managing Director**



**UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America :**

# TOTO IN 80 AIRPORTS AROUND THE WORLD

Flughafen auf der ganzen Welt nutzen die Technologien von TOTO - um Reisen sauberer and Öffentliche Wascheaume ansprechender zu gestalten  
Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



## GERMANY

1. Frankfurt International Airport

## CANADA

2. Calgary International Airport
3. Vancouver International Airport

## UNITED STATES

4. Oakland International Airport
5. Baltimore–Washington International Airport
6. Norman Y. Mineta San Jose International Airport
7. San Francisco International Airport
8. Phoenix Sky Harbor International Airport
9. General Edward Lawrence Logan International Airport
10. Hartsfield–Jackson Atlanta International Airport
11. George Bush Intercontinental Airport
12. Bradley International Airport
13. Minneapolis–Saint Paul International Airport
14. John F. Kennedy International Airport
15. Seattle–Tacoma International Airport
16. Valley International Airport
17. Bill and Hillary Clinton National Airport
18. Tuler International Airport
19. Minneapolis–Saint Paul International Airport
20. General Mitchell International Airport
21. Rochester International Airport
22. Kansas City International Airport
23. Los Angeles International Airport
24. Marlin 5lale Airport
25. Newport News/Williamsburg International Airport
26. Norfolk International Airport
27. McGhee Tyson Airport
28. Charleston International Airport
29. William P. Hobby Airport
30. Lynden Pindling International Airport

## GUAM

31. Guam International Airport

## GUATEMALA

32. Lu Aurora International Airport

## PANAMA

33. Tocumen International Airport

## COLOMBIA

34. El Dorado International Airport

## PARAGUAY

35. Silvio Pettirossi International Airport

## VENEZUELA

36. Simón Bolívar International Airport

## MEXICO

37. Monterrey International Airport

## KENYA

38. Mombasa Moi International Airport

## CHINA

39. Shanghai Pudang International Airport
40. Shanghai Hongqiao International Airport
41. Beijjirq Capital International Airport
42. Quanzhou Jinjiang Airport
43. Sanming Shaxian international Airport
44. Wuhan Tianhe International Airport
45. Nanjing Lukou International Airport
46. Halal Luogang International Airport
47. Tianjin Binhai International Airport
48. Xi'an Xianyang International Airport
49. Chongqing Jiangbei International Airport
50. Xiamen Gaoqi International Airport

## JAPAN

51. Tokyo International Airport
52. Kansai International Airport
53. New Chitose Airport
54. Quanzhou Jinjiang Airport
55. yonaga Airport
56. Narita International Airport
56. Fukuoka Airport
57. Chubu Centrair International Airport

## MACAU

58. Macau International Airport

## HONG KONG

59. Hong Kong International Airport

## THAILAND

60. Suvarnabhumi Airport

## VIETNAM

61. Tân Sơn Nhat International Airport
62. Da Nang International Airport
63. Can Tho International Airport
64. Noi Bai International Airport

## BANGLADESH

65. Shah Amanat International Airport

## SINGAPORE

66. Singapore Changi Airport

## INDIA

67. Chhatrapati Shivaji International Airport
68. Rajiv Gandhi International Airport
69. Bengaluru International Airport
70. Indira Gandhi International Airport
71. Cochin International Airport
72. Coimbatore International Airport

## SRI LANKA

73. Bandaranaike International Airport

## U.A.E

74. Dubai International Airport

## TAIWAN

75. Taiwan Taoyuan International Airport

## INDONESIA

76. Jakarta Airport

## CAMBODIA

77. Phnom Penh International Airport

## KUWAIT

78. Kuwait International Airport










## OMAN

79. Salalah International Airport
80. Muscat International Airport

# TOTO IN COMMERCIAL & HOSPITAL & MALL RESIDENTIAL & PROJECT REFERENCE AROUND THE WORLD



Dammam 400 Bed Maternity and Pediatric Hospital  
Dammam - Saudi Arabia

COMMERCIAL	HOSPITAL	MALL	RESIDENTIAL
  <p><b>UAE - DUBAI</b> Dubai Police Forensic Lab Emirates Towers Office Tower Jafza Twin Towers - Jafza View Dubai Metro Stations SBG Mosque</p> <p><b>UAE - ABU DHABI</b> Makeen Tower - Abu Dhabi</p> <p><b>BAHRAIN</b> Al Mall Tower Financial Harbour Al Hassawai Tower - 1 SLRB Building National Theatre National Stadium Doha Convention Centre</p> <p><b>QATAR</b> Qatar Financial Harbour - Doha</p> <p><b>OMAN</b> Toyota Ware House &amp; Service Centre Dana House Ghubarah ONEIC - H.Q Muscat Bank - H.Q Haa Water - H.Q</p>	   <p><b>UAE - ABU DHABI</b> Cleveland Clinic Arzanaha Medical Complex Mafraq Dailusis Centre Mafraq Hospital</p> <p><b>SAUDI ARABIA</b> Dr.Sulaiman Al Habib Hospital Riyadh Hospital Dammam Hospital</p> <p><b>KUWAIT</b> Urology Hospital</p> <p><b>QATAR</b> Sidra Hospital Hamad medical Centre</p>	 <p><b>UAE - ABU DHABI</b> Abu Dhabi Mall IKEA &amp; YAS Island YAS Mall &amp; YAS Island Marina Square - Reem Island</p> <p><b>UAE - DUBAI</b> The Mall - Al-Ain Dubai Mall Dubai Festival City - Mall Dubai Marina Mall Emirates Mall Avenue Mall</p> <p><b>BAHRAIN</b> Moda Mall</p>	   <p><b>UAE - DUBAI</b> Discovery Gardens Nuami Tower Golf Tower - The Views Sulafa Tower</p> <p><b>BAHRAIN</b> Riffa Views Ministry of Housing Projects Residence For K.S.A Ambassador</p> <p><b>OMAN</b> Silver House - Ghala</p>



# TOTO IN HOTEL PROJECT REFERENCE AROUND THE WORLD

Flughafen auf der ganzen Welt nutzen die Technologien von TOTO - um Reisen sauberer and Öffentliche Wascheaume ansprechender zu gestalten  
Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



## DUBAI

Pullman Emirates Mall - Dubai  
IBIS Emirates Mall - Dubai  
Novotel Sheikh Zayed - Dubai

## THAILAND

Sofitel Bangkok - Sukhumvit  
Hotel Novotel - Suvarnabhumi Airport  
Pullman Bangkok King Power

## VIETNAM

Sofitel Plaza - Hanoi  
Sofitel Plaza - Saigon  
Novotel Garden Plaza - Saigon



## DUBAI

Crowne Plaza Yas Island - Abu Dhabi  
Crowne Plaza Dubai Festival City  
InterContinental Dubai Festival City

## SINGAPORE

InterContinental - Singapore

## CHINA

InterContinental - Shenzhen  
InterContinental - Shanghai  
InterContinental - Suzhou  
InterContinental - Nanjing  
InterContinental - Ningbo



## DUBAI

Radisson Royal - Dubai

## INDIA

Radisson Hotel - Chennai



## FRANCE

Shangri-la Hotel - Paris

## QATAR

Traders Hotel - Doha

## INDIA

Shangri-La Hotel - Mumbai

## CHINA

Shangri-La Hotel - Beijing  
China World Hotel - Beijing  
Traders Hotel - Beijing  
Shangri-La Hotel - Pudong  
Shangri-La Hotel - Chengdu  
Shangri-La Hotel - Zhongsh  
Shangri-La Hotel - Manzouli  
Shangri-La Hotel - Ningbou

## JAPAN

Shangri-La Hotel - Tokyo

## Hong Kong

Island Shangri-La - Hong Kong  
Kowloon Shangri-La - Hong Kong

## SINGAPORE

Shangri-La Hotel - Singapore



## DUBAI

Conrad Hotel - Dubai

## JAPAN

Conrad Hotel - Tokyo

## CHINA

Conrad Hotel - Bangkok  
Millenium Hilton - Bangkok

## ISLAND IN INDONESIA

Conrad Hotel - Bali

## SINGAPORE

Conrad Hotel - Singapore  
Hilton Hotel - Singapore



## DUBAI

World Trade Centre Residence - Dubai  
Jumeirah Health Care City Hotel - Dubai  
Emirates Towers - Dubai

## CHINA

Jumeirah Shanghai

## U.S.A

Jumeirah Shanghai



## CHINA

St. Regis - Beijing  
Sheraton Hotel - Guiyang  
Sheraton Hotel - Ningbo  
Sheraton Hotel - Shanghai  
Le Meridien - Xiamen  
Le Meridien - Shanghai  
Royal Meridien - Shanghai

## U.S.A

"W" Hotel - Seattle

## SOUTH KOREA

"W" Hotel - Seoul

## CANADA

"W" Hotel - Mantreal

## NEW YORK

"W" Hotel - New York

## SINGAPORE

St. Regis - Singapore

## KINGDOM OF BORA BORA

St. Regis - Bora Bora

## INDIA

Le Meridien - Chennai

## THAILAND

Sheraton Hotel - Hanoi  
Sheraton Hotel - Sukhumvit - Bangkok  
Westin Grande - Sukhumvit - Bangkok

## INDONESIA

St. Regis - Indonesia

# TOTO IN HOTEL PROJECT REFERENCE AROUND THE WORLD

Flughäfen auf der ganzen Welt nutzen die Technologien von TOTO – um Reisen sauberer und öffentliche Waschräume ansprechender zu gestalten.  
Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



## FRANCE

Park Hyatt - Paris

## CHINA

Park Hyatt - Shanghai  
Grand Hyatt - Guangzhou  
Hyatt Regency - Jing Jln

## DUBAI

Park Hyatt - Abu Dhabi

## INDIA

Park Hyatt - Hyderabad

## SOUTH KOREA

Park Hyatt - Seoul

## VIETNAM

Park Hyatt - Saigon

## THAILAND

Grand Hyatt Erawan Hotel - Bangkok

## SINGAPORE

Grand Hyatt Hotel - Singapore

## JAPAN

Park Hyatt - Tokyo  
Grand Hyatt - Tokyo

## U.S.A

Andaz - California  
Hyatt Regency - Washington  
Hyatt Regency - San Francisco  
Hyatt Regency - California  
Hyatt Regency - Chicago  
Grand Hyatt - Georgia  
Park Hyatt - Colorado  
Hyatt Regency - Florida



## CHINA

Renaissance Hotel - Shanghai Yuyuan  
Marriott Hotel - Shanghai  
Marriott Hotel - Ningbo  
Marriott Hotel - Beijing  
Marriott Hotel - Shenzhen

## BAHRAIN

The Ritz Carlton - Bahrain

## U.S.A

The Ritz Carlton - New York  
Marriott Hotel - San Francisco

## SOUTH KOREA

The Ritz Carlton - Seoul

## JAPAN

The Ritz Carlton - Tokyo

## SINGAPORE

The Ritz Carlton Millenia - Singapore  
Marriott Hotel - Singapore

## INDONESIA

"JW" Marriott - Jakarta  
The Ritz-Carlton - Jakarta  
The Ritz Carlton - Jakarta Pacific Place  
Bvlgari Hotel - Bali



## FOUR SEASONS HOTEL :

SAUDI ARABIA  
DOHA  
MUMBAI  
HANGZHOU  
TOKYO  
MACAO  
BANGKOK  
BALI AT JIMBARAN BAY  
SINGAPORE  
MALAYSIA



## World wide Our Key Clients :



## World wide Our Key Clients :



# NOTE





كتالوجات  
Catalogue

شركة عبد الرحمن وعبد الكريم العمراة للأدوات الصحية

**AL-OMRAN TRADING CO. FOR SANITARY WARE**

الرقم الموحد : 8001240343 Tollfree No

Email : info@alohmr-an.com

